

VIII. Chemicals

Product Overview

Amino Acids

Antibiotics

Buffers

Building Blocks

Carbohydrates

Carbohydrates

Modified Carbohydrates

Sugar Phosphates

Denaturing Reagents

Non-Ionic Detergents

Dyes & Functional Groups

Labelling Kits

Fluorescent Dyes

Functional Groups

Inhibitors

Phosphoramidites

Salts

Solvents

Steroids

Substrates

Product Overview

Amino Acids

| Prod.No. | Product | Pack-Size | Price in € |
|------------|---|-----------|------------|
| M6162.0001 | GSH-OEt | 1 g | 380.36 |
| M6083.0100 | L-Alanine BioChemica | 100 g | 36.56 |
| M6083.0500 | L-Alanine BioChemica | 500 g | 139.81 |
| M6084.0100 | L-Alanine Cell culture grade | 100 g | 40.16 |
| M6084.0500 | L-Alanine Cell culture grade | 500 g | 158.92 |
| M6085.0100 | L-Arginine base BioChemica | 100 g | 24.10 |
| M6085.0250 | L-Arginine base BioChemica | 250 g | 50.04 |
| M6085.0500 | L-Arginine base BioChemica | 500 g | 86.61 |
| M6086.0100 | L-Arginine base Cell culture grade | 100 g | 25.09 |
| M6086.0250 | L-Arginine base Cell culture grade | 250 g | 52.24 |
| M6086.0500 | L-Arginine base Cell culture grade | 500 g | 91.88 |
| M6087.0100 | L-Arginine hydrochloride BioChemica | 100 g | 20.71 |
| M6087.0250 | L-Arginine hydrochloride BioChemica | 250 g | 45.73 |
| M6087.0500 | L-Arginine hydrochloride BioChemica | 500 g | 70.49 |
| M6088.0100 | L-Arginine hydrochloride Cell culture grade | 100 g | 25.09 |
| M6088.0250 | L-Arginine hydrochloride Cell culture grade | 250 g | 48.04 |
| M6088.0500 | L-Arginine hydrochloride Cell culture grade | 500 g | 81.32 |
| M6089.0100 | L-Asparagine monohydrate BioChemica | 100 g | 22.18 |
| M6089.0500 | L-Asparagine monohydrate BioChemica | 500 g | 76.41 |
| M6090.0100 | L-Asparagine monohydrate Cell culture grade | 100 g | 26.81 |
| M6090.0500 | L-Asparagine monohydrate Cell culture grade | 500 g | 92.11 |
| M6091.0250 | L-Aspartic acid BioChemica | 250 g | 28.41 |
| M6091.0500 | L-Aspartic acid BioChemica | 500 g | 47.19 |
| M6092.0250 | L-Aspartic acid Cell culture grade | 250 g | 34.37 |
| M6092.0500 | L-Aspartic acid Cell culture grade | 500 g | 50.93 |
| M6093.0010 | L-Carnitine | 10 g | 35.75 |
| M6093.0025 | L-Carnitine | 25 g | 68.28 |
| M6093.0100 | L-Carnitine | 100 g | 198.34 |
| M6094.0050 | L-Cysteine base BioChemica | 50 g | 29.32 |
| M6094.0100 | L-Cysteine base BioChemica | 100 g | 50.40 |
| M6096.0050 | L-Cysteine base Cell culture grade | 50 g | 34.13 |
| M6096.0100 | L-Cysteine base Cell culture grade | 100 g | 56.16 |
| M6096.0500 | L-Cysteine base Cell culture grade | 500 g | 204.75 |
| M6151.0050 | L-Cysteine hydrochloride monohydrate BioChemica | 50 g | 24.10 |
| M6151.0100 | L-Cysteine hydrochloride monohydrate BioChemica | 100 g | 40.97 |
| M6151.0500 | L-Cysteine hydrochloride monohydrate BioChemica | 500 g | 133.31 |
| M6097.0050 | L-Cysteine hydrochloride monohydrate Cell culture grade | 50 g | 26.51 |
| M6097.0100 | L-Cysteine hydrochloride monohydrate Cell culture grade | 100 g | 43.42 |
| M6097.0500 | L-Cysteine hydrochloride monohydrate Cell culture grade | 500 g | 178.40 |
| M6098.0050 | L-Cystine BioChemica | 50 g | 26.03 |
| M6098.0100 | L-Cystine BioChemica | 100 g | 44.35 |
| M6098.0500 | L-Cystine BioChemica | 500 g | 168.23 |
| M6099.0050 | L-Cystine Cell culture grade | 50 g | 31.45 |
| M6099.0100 | L-Cystine Cell culture grade | 100 g | 49.82 |

VIII. Chemicals

Amino Acids

| Prod.No. | Product | Pack-Size | Price in € |
|------------|--|-----------|------------|
| M6099.0500 | L-Cystine Cell culture grade | 500 g | 182.18 |
| M6101.0500 | L-Glutamic acid BioChemica | 500 g | 32.19 |
| M6102.0250 | L-Glutamic acid Cell culture grade | 250 g | 23.90 |
| M6102.0500 | L-Glutamic acid Cell culture grade | 500 g | 29.13 |
| M6160.0500 | L-Glutamic acid sodium salt | 500 g | 26.51 |
| M6103.0100 | L-Glutamine BioChemica | 100 g | 36.11 |
| M6103.0250 | L-Glutamine BioChemica | 250 g | 55.28 |
| M6103.0500 | L-Glutamine BioChemica | 500 g | 88.67 |
| M6104.0100 | L-Glutamine Cell culture grade | 100 g | 29.14 |
| M6104.0250 | L-Glutamine Cell culture grade | 250 g | 61.69 |
| M6104.0500 | L-Glutamine Cell culture grade | 500 g | 110.67 |
| M6105.0001 | L-Glutathione oxidized | 1 g | 25.21 |
| M6105.0005 | L-Glutathione oxidized | 5 g | 96.23 |
| M6105.0025 | L-Glutathione oxidized | 25 g | 350.51 |
| M6106.0005 | L-Glutathione reduced | 5 g | 27.03 |
| M6106.0025 | L-Glutathione reduced | 25 g | 95.59 |
| M6106.0100 | L-Glutathione reduced | 100 g | 308.89 |
| M6107.0050 | L-Histidine base BioChemica | 50 g | 25.02 |
| M6107.0100 | L-Histidine base BioChemica | 100 g | 40.87 |
| M6107.0500 | L-Histidine base BioChemica | 500 g | 168.44 |
| M6108.0050 | L-Histidine base Cell culture grade | 50 g | 28.61 |
| M6108.0100 | L-Histidine base Cell culture grade | 100 g | 43.84 |
| M6108.0500 | L-Histidine base Cell culture grade | 500 g | 166.43 |
| M6152.0050 | L-Histidine hydrochloride monohydrate BioChemica | 50 g | 22.64 |
| M6152.0100 | L-Histidine hydrochloride monohydrate BioChemica | 100 g | 37.02 |
| M6152.0500 | L-Histidine hydrochloride monohydrate BioChemica | 500 g | 145.99 |
| M6109.0050 | L-Histidine hydrochloride monohydrate Cell culture grade | 50 g | 25.99 |
| M6109.0100 | L-Histidine hydrochloride monohydrate Cell culture grade | 100 g | 40.69 |
| M6109.0500 | L-Histidine hydrochloride monohydrate Cell culture grade | 500 g | 165.38 |
| M6110.0025 | L-Hydroxyproline BioChemica | 25 g | 48.25 |
| M6110.0100 | L-Hydroxyproline BioChemica | 100 g | 170.32 |
| M6110.0250 | L-Hydroxyproline BioChemica | 250 g | 349.30 |
| M6111.0025 | L-Hydroxyproline Cell culture grade | 25 g | 49.88 |
| M6111.0100 | L-Hydroxyproline Cell culture grade | 100 g | 153.09 |
| M6111.0250 | L-Hydroxyproline Cell culture grade | 250 g | 330.75 |
| M6112.0025 | L-Isoleucine BioChemica | 25 g | 27.95 |
| M6112.0100 | L-Isoleucine BioChemica | 100 g | 65.89 |
| M6112.0250 | L-Isoleucine BioChemica | 250 g | 144.38 |
| M6112.0500 | L-Isoleucine BioChemica | 500 g | 247.54 |
| M6113.0025 | L-Isoleucine Cell culture grade | 25 g | 33.77 |
| M6113.0100 | L-Isoleucine Cell culture grade | 100 g | 107.67 |
| M6113.0250 | L-Isoleucine Cell culture grade | 250 g | 253.33 |
| M6113.0500 | L-Isoleucine Cell culture grade | 500 g | 450.32 |
| M6114.0100 | L-Leucine BioChemica | 100 g | 28.41 |
| M6114.0250 | L-Leucine BioChemica | 250 g | 63.08 |
| M6114.0500 | L-Leucine BioChemica | 500 g | 108.14 |

Amino Acids

| Prod.No. | Product | Pack-Size | Price in € |
|------------|---|-----------|------------|
| M6115.0100 | L-Leucine Cell culture grade | 100 g | 34.37 |
| M6115.0250 | L-Leucine Cell culture grade | 250 g | 80.95 |
| M6115.0500 | L-Leucine Cell culture grade | 500 g | 140.93 |
| M6116.0025 | L-Lysine monohydrate BioChemica | 25 g | 26.48 |
| M6116.0100 | L-Lysine monohydrate BioChemica | 100 g | 73.16 |
| M6116.0250 | L-Lysine monohydrate BioChemica | 250 g | 159.32 |
| M6116.0500 | L-Lysine monohydrate BioChemica | 500 g | 280.28 |
| M6117.0025 | L-Lysine monohydrate Cell culture grade | 25 g | 32.05 |
| M6117.0100 | L-Lysine monohydrate Cell culture grade | 100 g | 103.63 |
| M6117.0250 | L-Lysine monohydrate Cell culture grade | 250 g | 220.66 |
| M6117.0500 | L-Lysine monohydrate Cell culture grade | 500 g | 394.76 |
| M6153.0250 | L-Lysine monohydrochloride BioChemica | 250 g | 28.41 |
| M6153.0500 | L-Lysine monohydrochloride BioChemica | 500 g | 47.19 |
| M6118.0250 | L-Lysine monohydrochloride Cell culture grade | 250 g | 34.37 |
| M6118.0500 | L-Lysine monohydrochloride Cell culture grade | 500 g | 57.05 |
| M6119.0100 | L-Methionine BioChemica | 100 g | 31.24 |
| M6119.0500 | L-Methionine BioChemica | 500 g | 120.30 |
| M6120.0050 | L-Methionine Cell culture grade | 50 g | 23.28 |
| M6120.0100 | L-Methionine Cell culture grade | 100 g | 37.81 |
| M6120.0500 | L-Methionine Cell culture grade | 500 g | 161.89 |
| M6121.0050 | L-Ornithine hydrochloride BioChemica | 50 g | 23.10 |
| M6121.0100 | L-Ornithine hydrochloride BioChemica | 100 g | 39.50 |
| M6121.0250 | L-Ornithine hydrochloride BioChemica | 250 g | 83.89 |
| M6121.0500 | L-Ornithine hydrochloride BioChemica | 500 g | 146.32 |
| M6122.0050 | L-Ornithine hydrochloride Cell culture grade | 50 g | 29.94 |
| M6122.0100 | L-Ornithine hydrochloride Cell culture grade | 100 g | 49.80 |
| M6122.0250 | L-Ornithine hydrochloride Cell culture grade | 250 g | 109.68 |
| M6122.0500 | L-Ornithine hydrochloride Cell culture grade | 500 g | 199.10 |
| M6123.0100 | L-Phenylalanine BioChemica | 100 g | 38.49 |
| M6123.0250 | L-Phenylalanine BioChemica | 250 g | 85.19 |
| M6123.0500 | L-Phenylalanine BioChemica | 500 g | 149.57 |
| M6124.0100 | L-Phenylalanine Cell culture grade | 100 g | 49.59 |
| M6124.0250 | L-Phenylalanine Cell culture grade | 250 g | 110.08 |
| M6124.0500 | L-Phenylalanine Cell culture grade | 500 g | 194.46 |
| M6125.0025 | L-Proline BioChemica | 25 g | 22.18 |
| M6125.0100 | L-Proline BioChemica | 100 g | 46.50 |
| M6125.0250 | L-Proline BioChemica | 250 g | 87.79 |
| M6125.0500 | L-Proline BioChemica | 500 g | 149.57 |
| M6126.0025 | L-Proline Cell culture grade | 25 g | 25.54 |
| M6126.0100 | L-Proline Cell culture grade | 100 g | 79.89 |
| M6126.0250 | L-Proline Cell culture grade | 250 g | 173.58 |
| M6126.0500 | L-Proline Cell culture grade | 500 g | 312.69 |
| M6127.0100 | L-Serine BioChemica | 100 g | 66.91 |
| M6127.0250 | L-Serine BioChemica | 250 g | 142.22 |
| M6127.0500 | L-Serine BioChemica | 500 g | 245.81 |
| M6128.0025 | L-Serine Cell culture grade | 25 g | 24.00 |

VIII. Chemicals

Amino Acids

| Prod.No. | Product | Pack-Size | Price in € |
|------------|---------------------------------|-----------|------------|
| M6128.0100 | L-Serine Cell culture grade | 100 g | 77.29 |
| M6128.0250 | L-Serine Cell culture grade | 250 g | 166.10 |
| M6128.0500 | L-Serine Cell culture grade | 500 g | 296.19 |
| M6129.0025 | L-Threonine BioChemica | 25 g | 25.67 |
| M6129.0100 | L-Threonine BioChemica | 100 g | 45.73 |
| M6129.0250 | L-Threonine BioChemica | 250 g | 84.58 |
| M6129.0500 | L-Threonine BioChemica | 500 g | 120.23 |
| M6130.0025 | L-Threonine Cell culture grade | 25 g | 29.28 |
| M6130.0100 | L-Threonine Cell culture grade | 100 g | 86.41 |
| M6130.0250 | L-Threonine Cell culture grade | 250 g | 171.85 |
| M6130.0500 | L-Threonine Cell culture grade | 500 g | 297.15 |
| M6131.0025 | L-Tryptophan BioChemica | 25 g | 28.41 |
| M6131.0100 | L-Tryptophan BioChemica | 100 g | 73.16 |
| M6131.0250 | L-Tryptophan BioChemica | 250 g | 136.07 |
| M6131.0500 | L-Tryptophan BioChemica | 500 g | 235.78 |
| M6132.0025 | L-Tryptophan Cell culture grade | 25 g | 32.73 |
| M6132.0100 | L-Tryptophan Cell culture grade | 100 g | 93.14 |
| M6132.0250 | L-Tryptophan Cell culture grade | 250 g | 198.54 |
| M6132.0500 | L-Tryptophan Cell culture grade | 500 g | 382.59 |
| M6133.0100 | L-Tyrosine BioChemica | 100 g | 38.27 |
| M6133.0250 | L-Tyrosine BioChemica | 250 g | 82.59 |
| M6133.0500 | L-Tyrosine BioChemica | 500 g | 141.44 |
| M6134.0025 | L-Tyrosine Cell culture grade | 25 g | 50.98 |
| M6134.0100 | L-Tyrosine Cell culture grade | 100 g | 105.42 |
| M6134.0250 | L-Tyrosine Cell culture grade | 250 g | 188.55 |
| M6134.0500 | L-Tyrosine Cell culture grade | 500 g | 349.38 |
| M6135.0100 | L-Valine BioChemica | 100 g | 37.57 |
| M6135.0250 | L-Valine BioChemica | 250 g | 79.79 |
| M6135.0500 | L-Valine BioChemica | 500 g | 131.68 |
| M6136.0025 | L-Valine Cell culture grade | 25 g | 22.76 |
| M6136.0100 | L-Valine Cell culture grade | 100 g | 43.29 |
| M6136.0250 | L-Valine Cell culture grade | 250 g | 98.69 |
| M6136.0500 | L-Valine Cell culture grade | 500 g | 165.81 |

Antibiotics

| Prod.No. | Product | Pack-size | Price in € |
|------------|--|-----------|------------|
| M3107.0005 | Actinomycin D, p.A. | 5 mg | 30.04 |
| M3107.0025 | Actinomycin D, p.A. | 25 mg | 96.47 |
| M3107.0100 | Actinomycin D, p.A. | 100 mg | 294.92 |
| M3448.0010 | Amoxicillin | 10 g | 52.93 |
| M3448.0025 | Amoxicillin | 25 g | 100.86 |
| M3448.0050 | Amoxicillin | 50 g | 188.85 |
| M3449.0002 | Amoxicillin Sodium / Potassium Clavulanate | 2 g | 38.63 |
| M3449.0010 | Amoxicillin Sodium / Potassium Clavulanate | 10 g | 200.29 |
| M3449.0025 | Amoxicillin Sodium / Potassium Clavulanate | 25 g | 436.35 |

Antibiotics

| Prod.No. | Product | Pack-size | Price in € |
|------------|---|-----------|------------|
| M3108.0001 | Amphotericin B Powder | 1 g | 301.94 |
| M3108.0050 | Amphotericin B Powder | 50 mg | 39.06 |
| M3108.0250 | Amphotericin B Powder | 250 mg | 103.65 |
| M3108.0500 | Amphotericin B Powder | 500 mg | 189.28 |
| M3109.0050 | Amphotericin B solution | 50 mL | 18.89 |
| M3109.0100 | Amphotericin B solution | 100 mL | 32.64 |
| M3109.5001 | Amphotericin B solution | 50 x 1 mL | 63.09 |
| M3109.5005 | Amphotericin B solution | 50 x 5 mL | 148.72 |
| M3110.0010 | Ampicillin sodium salt, molecular biology grade | 10 g | 28.54 |
| M3110.0025 | Ampicillin sodium salt, molecular biology grade | 25 g | 48.93 |
| M3110.0100 | Ampicillin sodium salt, molecular biology grade | 100 g | 123.25 |
| M3365.0050 | Anisomycin, min. 99.0% | 50 mg | 207.44 |
| M3365.0100 | Anisomycin, min. 99.0% | 100 mg | 343.36 |
| M3366.0005 | Antipain x 2HCl | 5 mg | 58.59 |
| M3366.0010 | Antipain x 2HCl | 10 mg | 103.65 |
| M3366.0025 | Antipain x 2HCl | 25 mg | 217.82 |
| M3450.0005 | Apramycin Sulfate | 5 g | 37.91 |
| M3450.0010 | Apramycin Sulfate | 10 g | 67.24 |
| M3450.0025 | Apramycin Sulfate | 25 g | 124.47 |
| M3111.0005 | Bacitracin powder, 70 000 U/g | 5 g | 32.90 |
| M3111.0010 | Bacitracin powder, 70 000 U/g | 10 g | 60.09 |
| M3111.0025 | Bacitracin powder, 70 000 U/g | 25 g | 107.30 |
| M3119.0005 | Blasticidin S hydrochloride | 5 mg | 37.21 |
| M3119.0010 | Blasticidin S hydrochloride | 10 mg | 50.16 |
| M3119.0025 | Blasticidin S hydrochloride | 25 mg | 115.21 |
| M3112.0001 | Bleomycin sulfate, lyophil. pure | 1 mg | 98.67 |
| M3112.0005 | Bleomycin sulfate, lyophil. pure | 5 mg | 337.09 |
| M3182.0001 | Brefeldin A | 1 mg | 35.61 |
| M3182.0005 | Brefeldin A | 5 mg | 108.38 |
| M3182.0025 | Brefeldin A | 25 mg | 410.31 |
| M3113.0001 | Carbenicillin disodium salt USP XXI, BP 88 | 1 g | 31.92 |
| M3113.0005 | Carbenicillin disodium salt USP XXI, BP 88 | 5 g | 83.51 |
| M3113.0010 | Carbenicillin disodium salt USP XXI, BP 88 | 10 g | 144.98 |
| M3127.0001 | Cefotaxime-Na-salt | 1 g | 104.44 |
| M3114.0025 | Chloramphenicol, analytical grade, min. 99% | 25 g | 27.04 |
| M3114.0050 | Chloramphenicol, analytical grade, min. 99% | 50 g | 39.02 |
| M3114.0100 | Chloramphenicol, analytical grade, min. 99% | 100 g | 55.74 |
| M3115.0010 | Chlortetracycline hydrochloride | 10 g | 45.07 |
| M3115.0050 | Chlortetracycline hydrochloride | 50 g | 160.73 |
| M3326.0005 | Chromomycin 3A | 5 mg | 164.96 |
| M3326.0010 | Chromomycin 3A | 10 mg | 262.88 |
| M3156.0001 | Ciprofloxacin | 1 g | 28.22 |
| M3156.0005 | Ciprofloxacin | 5 g | 57.88 |
| M3369.0001 | D-Cycloserine, high pure | 1 g | 90.13 |
| M3369.0005 | D-Cycloserine, high pure | 5 g | 360.52 |
| M3116.0005 | Erythromycin base, research grade, | 5 g | 37.55 |

VIII. Chemicals

Antibiotics

| Prod.No. | Product | Pack-size | Price in € |
|------------|---|-----------|------------|
| M3116.0010 | Erythromycin base, research grade, | 10 g | 64.59 |
| M3116.0025 | Erythromycin base, research grade, | 25 g | 135.20 |
| M3118.0020 | Geneticin (G418), 50 mg/mL | 20 mL | 108.16 |
| M3118.0100 | Geneticin (G418), 50 mg/mL | 100 mL | 449.15 |
| M3118.5020 | Geneticin (G418), 50 mg/mL | 5 x 20 mL | 495.72 |
| M3117.0001 | Geneticin disulfate (G418) Powder (min. 98% DC) | 1 g | 73.61 |
| M3117.0005 | Geneticin disulfate (G418) Powder (min. 98% DC) | 5 g | 297.43 |
| M3117.0010 | Geneticin disulfate (G418) Powder (min. 98% DC) | 10 g | 540.79 |
| M3120.0025 | Genistein | 25 mg | 81.12 |
| M3120.0050 | Genistein | 50 mg | 142.71 |
| M3120.0100 | Genistein | 100 mg | 246.36 |
| M3121.0001 | Gentamycin sulfate powder, research grade | 1 g | 22.53 |
| M3121.0005 | Gentamycin sulfate powder, research grade | 5 g | 27.94 |
| M3121.0010 | Gentamycin sulfate powder, research grade | 10 g | 36.11 |
| M3121.0025 | Gentamycin sulfate powder, research grade | 25 g | 65.60 |
| M3122.0050 | Gentamycin sulfate, 10 mg/mL | 50 mL | 45.42 |
| M3122.0100 | Gentamycin sulfate, 10 mg/mL | 100 mL | 87.13 |
| M3122.5001 | Gentamycin sulfate, 10 mg/mL | 50 x 1 mL | 102.90 |
| M3122.5005 | Gentamycin sulfate, 10 mg/mL | 50 x 5 mL | 281.66 |
| M3123.0020 | Gentamycin sulfate, 50 mg/mL | 20 mL | 82.62 |
| M3123.0050 | Gentamycin sulfate, 50 mg/mL | 50 mL | 210.31 |
| M3123.0100 | Gentamycin sulfate, 50 mg/mL | 100 mL | 357.52 |
| M3123.5001 | Gentamycin sulfate, 50 mg/mL | 50 x 1 mL | 428.12 |
| M3123.5005 | Gentamycin sulfate, 50 mg/mL | 50 x 5 mL | 713.54 |
| M3124.0001 | Gramicidin, research grade | 1 g | 91.63 |
| M3124.0250 | Gramicidin, research grade | 250 mg | 31.55 |
| M3124.0500 | Gramicidin, research grade | 500 mg | 52.58 |
| M3126.0020 | Hygromycin B - 50mg/mL Solution | 20 mL | 142.71 |
| M3125.0001 | Hygromycin B Powder | 1 g | 112.66 |
| M3125.0500 | Hygromycin B Powder | 500 mg | 67.60 |
| M3358.0001 | Ionomycin Ca-salt | 1 mg | 262.88 |
| M3358.0005 | Ionomycin Ca-salt | 5 mg | 841.22 |
| M3358.0010 | Ionomycin Ca-salt | 10 mg | 1485.66 |
| M3128.0001 | Ionomycin free acid | 1 mg | 268.89 |
| M3128.0005 | Ionomycin free acid | 5 mg | 856.24 |
| M3128.0010 | Ionomycin free acid | 10 mg | 1539.74 |
| M3129.0010 | Kanamycin sulfate (BP 88), 698 IU/mg | 10 g | 30.68 |
| M3129.0025 | Kanamycin sulfate (BP 88), 698 IU/mg | 25 g | 71.16 |
| M3129.0050 | Kanamycin sulfate (BP 88), 698 IU/mg | 50 g | 88.56 |
| M3129.0250 | Kanamycin sulfate (BP 88), 698 IU/mg | 100 g | 281.14 |
| M3131.0050 | Kanamycin sulfate 10 mg/mL | 50 mL | 23.61 |
| M3131.0100 | Kanamycin sulfate 10 mg/mL | 100 mL | 35.41 |
| M3131.5001 | Kanamycin sulfate 10 mg/mL | 50 x 1 mL | 135.20 |
| M3131.5005 | Kanamycin sulfate 10 mg/mL | 50 x 5 mL | 471.69 |
| M3130.0050 | Kanamycin sulfate 5 mg/mL | 50 mL | 20.28 |
| M3130.0100 | Kanamycin sulfate 5 mg/mL | 100 mL | 36.05 |

Antibiotics

| Prod.No. | Product | Pack-size | Price in € |
|------------|---|-----------|------------|
| M3130.5001 | Kanamycin sulfate 5 mg/mL | 50 x 1 mL | 79.62 |
| M3130.5005 | Kanamycin sulfate 5 mg/mL | 50 x 5 mL | 265.89 |
| M3132.0050 | Kanamycin sulfate 50 mg/mL | 50 mL | 129.19 |
| M3132.0100 | Kanamycin sulfate 50 mg/mL | 100 mL | 256.87 |
| M3132.5001 | Kanamycin sulfate 50 mg/mL | 50 x 1 mL | 356.02 |
| M3132.5005 | Kanamycin sulfate 50 mg/mL | 50 x 5 mL | 591.86 |
| M3445.0005 | Lincomycin Hydrochloride | 5 g | 150.22 |
| M3445.0025 | Lincomycin Hydrochloride | 25 g | 476.41 |
| M3135.0050 | Minocyclin, 0.5 mg/mL | 50 mL | 88.63 |
| M3135.0100 | Minocyclin, 0.5 mg/mL | 100 mL | 97.64 |
| M3135.5001 | Minocyclin, 0.5 mg/mL | 50 x 1 mL | 159.23 |
| M3135.5005 | Minocyclin, 0.5 mg/mL | 50 x 5 mL | 315.46 |
| M3133.0001 | Mithramycin A | 1 mg | 53.47 |
| M3133.0005 | Mithramycin A | 5 mg | 138.20 |
| M3134.0010 | Mitomycin C, lyophil. | 10 mg | 58.65 |
| M3134.0025 | Mitomycin C, lyophil. | 25 mg | 110.79 |
| M3329.0250 | Mycophenolic Acid | 250 mg | 210.31 |
| M3329.0500 | Mycophenolic Acid | 500 mg | 388.88 |
| M3136.0010 | Neomycin sulfate Powder, research grade, min. 650 U/mg. | 10 g | 21.03 |
| M3136.0025 | Neomycin sulfate Powder, research grade, min. 650 U/mg. | 25 g | 28.39 |
| M3136.0100 | Neomycin sulfate Powder, research grade, min. 650 U/mg. | 100 g | 61.24 |
| M3137.0100 | Neomycin-sulfate Solution, 10 mg/mL | 100 mL | 32.30 |
| M3137.5001 | Neomycin-sulfate Solution, 10 mg/mL | 50 x 1 mL | 223.83 |
| M3137.5005 | Neomycin-sulfate Solution, 10 mg/mL | 50 x 5 mL | 282.41 |
| M3138.0005 | Nystatin dihydrate, min. 4400 U/mg, research grade. | 5 g | 34.06 |
| M3138.0025 | Nystatin dihydrate, min. 4400 U/mg, research grade. | 25 g | 113.13 |
| M3155.0005 | Oligomycin | 5 mg | 58.71 |
| M3155.0025 | Oligomycin | 25 mg | 260.35 |
| M3154.0005 | Oligomycin A | 5 mg | 184.44 |
| M3154.0025 | Oligomycin A | 25 mg | 770.40 |
| M3153.0010 | Oxytetracycline hydrochloride | 10 g | 20.74 |
| M3153.0050 | Oxytetracycline hydrochloride | 50 g | 72.96 |
| M3153.0100 | Oxytetracycline hydrochloride | 100 g | 101.58 |
| M3360.0005 | Patulin HighPure | 5 mg | 108.73 |
| M3360.0025 | Patulin HighPure | 25 mg | 343.36 |
| M3139.0010 | Penicillin G potassium salt, research grade | 10 g | 21.78 |
| M3139.0025 | Penicillin G potassium salt, research grade | 25 g | 28.39 |
| M3139.0100 | Penicillin G potassium salt, research grade | 100 g | 76.90 |
| M3140.0100 | Penicillin/Streptomycin (100X) | 100 mL | 12.02 |
| M3140.5001 | Penicillin/Streptomycin (100X) | 50 x 1 mL | 102.15 |
| M3140.5005 | Penicillin/Streptomycin (100X) | 50 x 5 mL | 148.72 |
| M3429.0250 | Phleomycin Powder | 250 mg | 368.75 |
| M3429.0500 | Phleomycin Powder | 500 mg | 636.65 |
| M3429.1000 | Phleomycin Powder | 1 g | 1022.92 |
| M3141.0001 | Polymyxin B sulfate ca. 7000 IU/mg | 1 g | 40.06 |
| M3141.0005 | Polymyxin B sulfate ca. 7000 IU/mg | 5 g | 143.66 |

VIII. Chemicals

Antibiotics

| Prod.No. | Product | Pack-size | Price in € |
|------------|---|-----------|------------|
| M3141.0010 | Polymyxin B sulfate ca. 7000 IU/mg | 10 g | 241.25 |
| M3152.0050 | Polymyxin B sulphate ca. 10000 U/mL, solution | 50 mL | 46.02 |
| M3152.0100 | Polymyxin B sulphate ca. 10000 U/mL, solution | 100 mL | 80.45 |
| M3143.0005 | Puromycin dihydrochloride, research grade | 5 mg | 33.62 |
| M3143.0010 | Puromycin dihydrochloride, research grade | 10 mg | 48.51 |
| M3143.0025 | Puromycin dihydrochloride, research grade | 25 mg | 82.69 |
| M3144.0001 | Rifampicin, research grade | 1 g | 34.53 |
| M3144.0005 | Rifampicin, research grade | 5 g | 128.13 |
| M3145.0001 | Spectinomycin dihydrochloride pentahydrate | 1 g | 21.46 |
| M3145.0005 | Spectinomycin dihydrochloride pentahydrate | 5 g | 47.21 |
| M3145.0025 | Spectinomycin dihydrochloride pentahydrate | 25 g | 135.91 |
| M3146.0025 | Streptomycin-sulfate powder, research grade, BP 88, min. 720 U/mg | 25 g | 23.28 |
| M3146.0100 | Streptomycin-sulfate powder, research grade, BP 88, min. 720 U/mg | 100 g | 48.80 |
| M3146.0250 | Streptomycin-sulfate powder, research grade, BP 88, min. 720 U/mg | 250 g | 91.10 |
| M3146.1000 | Streptomycin-sulfate powder, research grade, BP 88, min. 720 U/mg | 1 kg | 227.22 |
| M3148.0025 | Tetracycline hydrochloride, research grade | 25 g | 21.61 |
| M3148.0050 | Tetracycline hydrochloride, research grade | 50 g | 26.45 |
| M3148.0100 | Tetracycline hydrochloride, research grade | 100 g | 38.70 |
| M3149.0050 | Tiamutin, 1mg/mL | 50 mL | 48.07 |
| M3149.0100 | Tiamutin, 1mg/mL | 100 mL | 82.62 |
| M3149.5001 | Tiamutin, 1mg/mL | 50 x 1 mL | 102.15 |
| M3149.5005 | Tiamutin, 1mg/mL | 50 x 5 mL | 240.35 |
| M3361.0005 | Tunicamycin, min. 95% | 5 mg | 88.70 |
| M3361.0010 | Tunicamycin, min. 95% | 10 mg | 141.63 |
| M3361.0050 | Tunicamycin, min. 95% | 50 mg | 500.73 |
| M3157.0025 | Tylosin-tartrate (100x) | 25 mL | 36.05 |
| M3150.0025 | Valinomycin, research grade | 25 mg | 129.19 |
| M3150.0050 | Valinomycin, research grade | 50 mg | 226.83 |
| M3150.0100 | Valinomycin, research grade | 100 mg | 425.12 |
| M3151.0001 | Vancomycin hydrochloride | 1 g | 122.38 |
| M3151.0005 | Vancomycin hydrochloride | 5 g | 510.88 |
| M3151.0250 | Vancomycin hydrochloride | 250 mg | 37.58 |
| M3446.0250 | Zeocin™ | 250 mg | 100.15 |
| M3446.0001 | Zeocin™ | 1 g | 264.67 |
| M3446.0005 | Zeocin™ | 5 g | 1180.29 |

Buffers

| Prod.No. | Product | Pack-size | Price in € |
|------------|--|-----------|------------|
| M6016.0500 | Ammonium acetate Molecular biology grade | 500 g | 29.39 |
| M6016.1000 | Ammonium acetate Molecular biology grade | 1 kg | 47.32 |
| M6017.5000 | Ammonium acetate p.A BioChemica | 5 kg | 128.63 |
| M6017.0500 | Ammonium acetate p.A. BioChemica | 500 g | 22.84 |
| M6017.1000 | Ammonium acetate p.A. BioChemica | 1 kg | 35.44 |
| M6378.0025 | BES (buffer quality) | 25 g | 18.38 |
| M6378.0100 | BES (buffer quality) | 100 g | 45.68 |

Buffers

| Prod.No. | Product | Pack-size | Price in € |
|------------|---|-----------|------------|
| M6378.0250 | BES (buffer quality) | 250 g | 100.28 |
| M6378.0500 | BES (buffer quality) | 500 g | 175.88 |
| M6362.0100 | Bicine buffer grade | 100 g | 40.22 |
| M6362.0250 | Bicine buffer grade | 250 g | 89.45 |
| M6362.0500 | Bicine buffer grade | 500 g | 161.14 |
| M6362.1000 | Bicine buffer grade | 1 kg | 279.95 |
| M6347.0100 | Bis-Tris, analytical grade | 100 g | 77.43 |
| M6347.0250 | Bis-Tris, analytical grade | 250 g | 177.80 |
| M6347.0500 | Bis-Tris, analytical grade | 500 g | 312.59 |
| M6021.1000 | Boric acid BioChemica | 1 kg | 32.33 |
| M6021.1001 | Boric acid BioChemica | 10 kg | 197.95 |
| M6021.5000 | Boric acid BioChemica | 5 kg | 114.35 |
| M6019.1000 | Boric acid buffer grade | 1 kg | 28.39 |
| M6019.5000 | Boric acid buffer grade | 5 kg | 98.58 |
| M3273.0500 | Boric acid Molecular biology grade, min. 99.8% | 500 g | 28.39 |
| M3273.1000 | Boric acid Molecular biology grade, min. 99.8% | 1 kg | 37.23 |
| M3273.5000 | Boric acid Molecular biology grade, min. 99.8% | 5 kg | 104.01 |
| M6213.0250 | Calcium lactate pentahydrate | 250 g | 20.78 |
| M6213.1000 | Calcium lactate pentahydrate | 1 kg | 31.05 |
| M6200.0100 | CAPS buffer grade | 100 g | 45.94 |
| M6200.0250 | CAPS buffer grade | 250 g | 97.02 |
| M6200.0500 | CAPS buffer grade | 500 g | 156.19 |
| M6258.0005 | CHAPS buffer grade | 5 g | 54.57 |
| M6258.0010 | CHAPS buffer grade | 10 g | 92.00 |
| M6258.0025 | CHAPS buffer grade | 25 g | 186.87 |
| M6201.0005 | CHAPS for 2D-gel electrophoresis | 5 g | 80.57 |
| M6201.0010 | CHAPS for 2D-gel electrophoresis | 10 g | 142.02 |
| M6201.0025 | CHAPS for 2D-gel electrophoresis | 25 g | 311.36 |
| M6201.0050 | CHAPS for 2D-gel electrophoresis | 50 g | 546.25 |
| M6201.0100 | CHAPS for 2D-gel electrophoresis | 100 g | 1003.73 |
| M6202.0001 | CHAPSO > 99.0% (HPLC) | 1 g | 71.70 |
| M6202.0005 | CHAPSO > 99.0% (HPLC) | 5 g | 292.52 |
| M6202.0010 | CHAPSO > 99.0% (HPLC) | 10 g | 501.87 |
| M6202.0025 | CHAPSO > 99.0% (HPLC) | 25 g | 1157.16 |
| M6203.0010 | CHES, min. 99.0% | 10 g | 35.85 |
| M6203.0050 | CHES, min. 99.0% | 50 g | 93.20 |
| M6203.0250 | CHES, min. 99.0% | 250 g | 344.14 |
| M6022.1000 | Citric acid monohydrate buffer grade | 1 kg | 24.45 |
| M6022.1001 | Citric acid monohydrate buffer grade | 10 kg | 124.61 |
| M6022.5000 | Citric acid monohydrate buffer grade | 5 kg | 72.56 |
| M3274.1000 | Citric acid monohydrate p.A., min. 99% | 1 kg | 35.49 |
| M3274.5000 | Citric acid monohydrate p.A., min. 99% | 5 kg | 136.44 |
| M3275.0500 | Citric acid trisodium salt dihydrate, p.A. min. 99.0% | 500 g | 30.76 |
| M3275.1000 | Citric acid trisodium salt dihydrate, p.A. min. 99.0% | 1 kg | 42.59 |
| M3275.5000 | Citric acid trisodium salt dihydrate, p.A. min. 99.0% | 5 kg | 156.15 |

VIII. Chemicals

Buffers

| Prod.No. | Product | Pack-size | Price in € |
|------------|---|-----------|------------|
| M6030.0100 | DL-Malic acid, BioChemica | 100 g | 21.94 |
| M6030.0500 | DL-Malic acid, BioChemica | 500 g | 40.73 |
| M6370.0100 | HEPES, buffer grade | 100 g | 36.88 |
| M6370.0250 | HEPES, buffer grade | 250 g | 76.02 |
| M6370.0500 | HEPES, buffer grade | 500 g | 131.20 |
| M6370.1000 | HEPES, buffer grade | 1 kg | 214.99 |
| M6370.5000 | HEPES, buffer grade | 5 kg | 810.34 |
| M6205.0100 | HEPES, molecular biology grade | 100 g | 47.95 |
| M6205.0250 | HEPES, molecular biology grade | 250 g | 100.58 |
| M6205.0500 | HEPES, molecular biology grade | 500 g | 171.36 |
| M6205.1000 | HEPES, molecular biology grade | 1 kg | 303.19 |
| M6204.0100 | HEPES, tissue culture grade | 100 g | 45.88 |
| M6204.0250 | HEPES, tissue culture grade | 250 g | 103.24 |
| M6204.0500 | HEPES, tissue culture grade | 500 g | 172.07 |
| M6204.1000 | HEPES, tissue culture grade | 1 kg | 306.86 |
| M6206.0050 | MES anhydrous, research grade | 50 g | 34.55 |
| M6206.0100 | MES anhydrous, research grade | 100 g | 54.40 |
| M6206.0250 | MES anhydrous, research grade | 250 g | 109.78 |
| M6206.0500 | MES anhydrous, research grade | 500 g | 159.86 |
| M6207.0050 | MES monohydrate buffer grade | 50 g | 30.32 |
| M6207.0100 | MES monohydrate buffer grade | 100 g | 43.55 |
| M6207.0250 | MES monohydrate buffer grade | 250 g | 88.45 |
| M6207.0500 | MES monohydrate buffer grade | 500 g | 145.53 |
| M6208.0100 | MOPS , ultra pure for molecular biology use, min. 99.5% | 100 g | 50.45 |
| M6208.0250 | MOPS , ultra pure for molecular biology use, min. 99.5% | 250 g | 105.56 |
| M6208.0500 | MOPS , ultra pure for molecular biology use, min. 99.5% | 500 g | 179.05 |
| M6208.1000 | MOPS , ultra pure for molecular biology use, min. 99.5% | 1 kg | 295.01 |
| M6257.0100 | MOPS buffer grade, min. 99.5% | 100 g | 41.58 |
| M6257.0250 | MOPS buffer grade, min. 99.5% | 250 g | 83.51 |
| M6257.0500 | MOPS buffer grade, min. 99.5% | 500 g | 136.71 |
| M6257.1000 | MOPS buffer grade, min. 99.5% | 1 kg | 218.85 |
| M6371.0025 | MOPSO buffer grade, min. 99.0% | 25 g | 25.96 |
| M6371.0100 | MOPSO buffer grade, min. 99.0% | 100 g | 66.98 |
| M6209.0100 | PIPES, ultrapure | 100 g | 56.23 |
| M6209.0250 | PIPES, ultrapure | 250 g | 130.10 |
| M6209.1000 | PIPES, ultrapure | 1 kg | 356.66 |
| M6348.0250 | Potassium dihydrogen phosphate, cell culture grade | 250 g | 19.69 |
| M6348.0500 | Potassium dihydrogen phosphate, cell culture grade | 500 g | 28.10 |
| M6348.1000 | Potassium dihydrogen phosphate, cell culture grade | 1 kg | 44.70 |
| M3294.0500 | Sodium acetate trihydrate, analytical grade | 500 g | 28.39 |
| M3294.1000 | Sodium acetate trihydrate, analytical grade | 1 kg | 39.43 |
| M3294.5000 | Sodium acetate trihydrate, analytical grade | 5 kg | 145.11 |
| M6075.0500 | Sodium dihydrogen phosphate dihydrate, BioChemica | 500 g | 21.79 |
| M6075.1000 | Sodium dihydrogen phosphate dihydrate, BioChemica | 1 kg | 35.44 |
| M6075.5000 | Sodium dihydrogen phosphate dihydrate, BioChemica | 5 kg | 119.44 |
| M6076.1000 | Sodium dihydrogen phosphate monohydrate, BioChemica | 1 kg | 38.72 |

Buffers

| Prod.No. | Product | Pack-size | Price in € |
|------------|---|-----------|------------|
| M6076.5000 | Sodium dihydrogen phosphate monohydrate, BioChemica | 5 kg | 156.30 |
| M6210.0500 | Tris buffer grade, min. 99.5%. | 500 g | 36.87 |
| M6210.1000 | Tris buffer grade, min. 99.5%. | 1 kg | 56.58 |
| M6210.5000 | Tris buffer grade, min. 99.5%. | 5 kg | 212.28 |
| M6212.0250 | TRISxHCl | 250 g | 47.90 |
| M6212.0500 | TRISxHCl | 500 g | 83.35 |
| M6212.1000 | TRISxHCl | 1 kg | 138.92 |
| M6211.0250 | TRISxHCl p.A. | 250 g | 36.88 |
| M6211.0500 | TRISxHCl p.A. | 500 g | 72.18 |
| M6211.1000 | TRISxHCl p.A. | 1 kg | 118.46 |
| M6211.5000 | TRISxHCl p.A. | 5 kg | 474.08 |

Building Blocks

| Prod.No. | Product | Pack-size | Price in € |
|------------|---|------------|------------|
| S5542.0025 | (+)-8,8-Dichlorocampherylsulfonyl-oxaziridine | 25 g | 305.39 |
| S5486.0250 | (+)-Bicuculline | 250 mg | 209.48 |
| S5476.0050 | 3-Acetyl-umbelliferone | 50 mg | 89.11 |
| S5487.0500 | 3-Cyanoumbelliferone | 500 mg | 231.53 |
| S5530.0001 | 4-Di-2-ASP | 1 g | 94.50 |
| S5524.0500 | 6,7-Diethoxy-4-methylcoumarin | 500 mg | 389.18 |
| S5527.0050 | 6,7-Diethoxy-4-trifluoromethylcoumarin | 50 mg | 443.21 |
| S5516.0100 | 6,7-Dihydroxy-4-coumarinylacetic acid | 100 mg | 159.86 |
| S5511.0100 | 6,7-Dimethoxy-4-coumarinylacetic acid | 100 mg | 167.03 |
| S5512.0050 | 6,7-Dimethoxy-4-trifluoromethylcoumarin | 50 mg | 416.75 |
| S5541.0010 | 6-CS-Cl | 10 mg | 71.66 |
| S5509.0010 | 7-Diethylamino-3-[N-(4-maleimidoethyl)carbamoyl]coumarin | 10 mg | 140.02 |
| S5483.0010 | 7-Diethylamino-3-[N-(4-maleimidopropyl)carbamoyl]coumarin | 10 mg | 159.86 |
| S5525.0100 | 7-Diethylaminocoumarin-3 carboxylic acid imidazolide | 100 mg | 413.44 |
| S5507.0100 | 7-Diethylaminocoumarin-3,4-dicarboxylic acid | 100 mg | 453.13 |
| S5528.0500 | 7-Diethylaminocoumarin-3-carboxylic acid | 500 mg | 211.31 |
| S5533.0025 | 7-Methoxy-4-coumarinylacetic acid N-succinimidyl ester | 25 mg | 181.91 |
| S5484.0100 | 7-Methoxy-4-trifluoromethylcoumarin | 100 mg | 270.11 |
| S5534.0001 | 7-Methoxycoumarin-3-carbonic acid | 1 g | 578.81 |
| S5535.0100 | 7-Methoxycoumarin-3-carbonic acid N-succinimidyl ester | 100 mg | 446.51 |
| S5559.0500 | 8-Acetoxyppyrene-1,3,6-trisulfonic acid trisodium salt | 500 mg | 131.25 |
| S5560.0500 | 8-Butyryloxyppyren-1,3,6-trisulfonic acid trisodium salt | 500 mg | 262.50 |
| S5477.0050 | 9,10-Anthracenediyl-bis(methylene)dimalonic acid | 50 mg | 49.61 |
| S5470.0100 | 9-Anthracenecarbaldehyde | 100 g | 82.69 |
| S5520.0500 | AMCA-H | 500 mg | 94.50 |
| S5520.1000 | AMCA-H | 1 g | 162.75 |
| S5478.0025 | AVG-HCl | 25 mg | 192.94 |
| S5499.0005 | BMC, Br-MMC | 5 mg | 253.32 |
| S5485.0010 | BTBCT | 10 mg | 192.94 |
| S5453.0000 | Coumarin 151 | on request | on request |

VIII. Chemicals

Building Blocks

| Prod.No. | Product | Pack-size | Price in € |
|------------|--|------------|------------|
| S5474.0000 | Coumarin 16 | on request | on request |
| S5451.0005 | Coumarin 6 | 5 g | 361.01 |
| S5508.0010 | CPM | 10 mg | 83.79 |
| S5526.0100 | DCCH | 100 mg | 348.23 |
| S5529.0100 | DCCS | 100 mg | 252.64 |
| S5504.0025 | DIHFP | 25 mg | 173.09 |
| S5502.0001 | Diphenyliodonium trifluoromethansulfonate | 1 g | 49.61 |
| S5475.0125 | FAMC | 125 mg | 170.89 |
| S5479.0050 | MPAC-Br | 50 mg | 137.81 |
| S5489.0010 | NBD-Cl | 10 g | 71.66 |
| S5498.0100 | PyTC2 | 100 mg | 174.20 |
| S5482.0005 | Ru(bpy) ₂ (mcbpy-O-Su-ester)(PF ₆) ₂ | 5 mg | 104.74 |

Carbohydrates

Carbohydrates

| Prod.No. | Product | Pack-size | Price in € |
|------------|---|-----------|------------|
| S5113.0001 | 1-Thio-β-D-galactose sodium salt | 1 g | 120.77 |
| S5113.0005 | 1-Thio-β-D-galactose sodium salt | 5 g | 366.33 |
| S5114.0001 | 1-Thio-β-D-glucose sodium salt dihydrate | 1 g | 78.69 |
| S5114.0005 | 1-Thio-β-D-glucose sodium salt dihydrate | 5 g | 238.92 |
| S5098.0001 | α-D-Talose Purity >99% (HPLC) | 1 g | 410.60 |
| S5098.0250 | α-D-Talose Purity >99% (HPLC) | 250 mg | 137.34 |
| S5259.0001 | Amylose (from potato) | 1 g | on request |
| S5259.0005 | Amylose (from potato) | 5 g | on request |
| S5046.0500 | D(-)-Fructose BioChemica (min. 99.0% HPLC) | 500 g | 23.61 |
| S5046.1000 | D(-)-Fructose BioChemica (min. 99.0% HPLC) | 1 kg | 35.77 |
| S5046.5000 | D(-)-Fructose BioChemica (min. 99.0% HPLC) | 5 kg | 97.02 |
| S5095.0500 | D(-)-Sorbitol (98.0 - 101%) | 500 g | 19.89 |
| S5095.1000 | D(-)-Sorbitol (98.0 - 101%) | 1 kg | 28.04 |
| S5031.0025 | D(+)-Arabitol | 25 g | 181.91 |
| S5031.0100 | D(+)-Arabitol | 100 g | 622.91 |
| S5212.0100 | D(+)-Galactose cell culture grade (min. 99.0% HPLC) | 100 g | 28.84 |
| S5212.0250 | D(+)-Galactose cell culture grade (min. 99.0% HPLC) | 250 g | 65.04 |
| S5212.0500 | D(+)-Galactose cell culture grade (min. 99.0% HPLC) | 500 g | 115.37 |
| S5212.1000 | D(+)-Galactose cell culture grade (min. 99.0% HPLC) | 1 kg | 221.27 |
| S5042.0100 | D(+)-Galactose from beech (min. 98.0% HPLC) | 100 g | 32.99 |
| S5042.0250 | D(+)-Galactose from beech (min. 98.0% HPLC) | 250 g | 73.51 |
| S5042.0500 | D(+)-Galactose from beech (min. 98.0% HPLC) | 500 g | 114.43 |
| S5042.1000 | D(+)-Galactose from beech (min. 98.0% HPLC) | 1 kg | 231.24 |
| S5049.0100 | D(+)-Galactose from lactose (min. 98.0% HPLC) | 100 g | 25.75 |
| S5049.0250 | D(+)-Galactose from lactose (min. 98.0% HPLC) | 250 g | 58.66 |
| S5049.0500 | D(+)-Galactose from lactose (min. 98.0% HPLC) | 500 g | 101.58 |
| S5049.1000 | D(+)-Galactose from lactose (min. 98.0% HPLC) | 1 kg | 185.98 |
| S5051.0500 | D(+)-Glucose anhydrous Biochemica (min. 99.0%) | 500 g | 20.46 |
| S5051.1000 | D(+)-Glucose anhydrous Biochemica (min. 99.0%) | 1 kg | 24.89 |

Carbohydrates

| Prod.No. | Product | Pack-size | Price in € |
|------------|---|-----------|------------|
| S5052.0500 | D(+)-Glucose anhydrous Cell culture grade (min 99.0%) | 500 g | 21.89 |
| S5052.1000 | D(+)-Glucose anhydrous Cell culture grade (min 99.0%) | 1 kg | 27.47 |
| S5052.5000 | D(+)-Glucose anhydrous Cell culture grade (min 99.0%) | 5 kg | 87.70 |
| S5213.0500 | D(+)-Glucose anhydrous molecular biology grade (min. 99.0%) | 500 g | 27.19 |
| S5213.1000 | D(+)-Glucose anhydrous molecular biology grade (min. 99.0%) | 1 kg | 30.19 |
| S5213.5000 | D(+)-Glucose anhydrous molecular biology grade (min. 99.0%) | 5 kg | 98.99 |
| S5054.1000 | D(+)-Glucose monohydrate Biochemica (99.0%) | 1 kg | 20.03 |
| S5055.1000 | D(+)-Glucose monohydrate Molbio Grade (99.0%) | 1 kg | 25.75 |
| S5055.5000 | D(+)-Glucose monohydrate Molbio Grade (99.0%) | 5 kg | 71.53 |
| S5214.0500 | D(+)-Glucose monohydrate molecular biology grade (99.0%) | 500 g | 19.68 |
| S5214.1000 | D(+)-Glucose monohydrate molecular biology grade (99.0%) | 1 kg | 25.84 |
| S5063.0500 | D(+)-Lactose monohydrate, BioChemica | 500 g | 19.60 |
| S5063.1000 | D(+)-Lactose monohydrate, BioChemica | 1 kg | 24.32 |
| S5064.0500 | D(+)-Lactose monohydrate, Molecular biology grade | 500 g | 22.89 |
| S5064.1000 | D(+)-Lactose monohydrate, Molecular biology grade | 1 kg | 30.76 |
| S5069.0250 | D(+)-Maltose monohydrate Biochemica (min. 98.0% HPLC) | 250 g | 28.61 |
| S5069.0500 | D(+)-Maltose monohydrate Biochemica (min. 98.0% HPLC) | 500 g | 51.50 |
| S5069.1000 | D(+)-Maltose monohydrate Biochemica (min. 98.0% HPLC) | 1 kg | 88.70 |
| S5208.0001 | D(+)-Melezitose | 1 g | 10.73 |
| S5208.0005 | D(+)-Melezitose | 5 g | 14.31 |
| S5208.0025 | D(+)-Melezitose | 25 g | 52.93 |
| S5115.0050 | D(+)-Trehalose dihydrate Purity >99% (HPLC) | 50 g | 68.13 |
| S5115.0250 | D(+)-Trehalose dihydrate Purity >99% (HPLC) | 250 g | 153.28 |
| S5115.0001 | D(+)-Trehalose dihydrate Purity >99% (HPLC) | 1 kg | 464.50 |
| S5047.0001 | D-Fucose (6-Deoxy-D-galactose); Purity > 99% (TLC) | 1 g | 41.49 |
| S5047.0005 | D-Fucose (6-Deoxy-D-galactose); Purity > 99% (TLC) | 5 g | 163.09 |
| S5047.0025 | D-Fucose (6-Deoxy-D-galactose); Purity > 99% (TLC) | 25 g | 649.52 |
| S5050.0001 | D-Galactosamine x HCl | 1 g | 68.67 |
| S5050.0005 | D-Galactosamine x HCl | 5 g | 207.44 |
| S5057.0250 | D-Glucosamine x HCl Purity > 99% (HPLC) | 250 g | 50.07 |
| S5057.0500 | D-Glucosamine x HCl Purity > 99% (HPLC) | 500 g | 88.70 |
| S5067.0010 | D-Lyxose Purity > 99% (HPLC) | 10 g | 98.40 |
| S5067.0100 | D-Lyxose Purity > 99% (HPLC) | 100 g | 704.99 |
| S5072.0500 | D-Mannitol Purity >99.3% | 500 g | 35.77 |
| S5072.1000 | D-Mannitol Purity >99.3% | 1 kg | 71.19 |
| S5073.0025 | D-Mannose Purity >99% (HPLC) | 25 g | 25.75 |
| S5073.0050 | D-Mannose Purity >99% (HPLC) | 50 g | 44.35 |
| S5073.0100 | D-Mannose Purity >99% (HPLC) | 100 g | 78.69 |
| S5073.0250 | D-Mannose Purity >99% (HPLC) | 250 g | 164.52 |
| S5073.0500 | D-Mannose Purity >99% (HPLC) | 500 g | 278.98 |
| S5091.0025 | D-Raffinose pentahydrate (min. 99.9% HPLC) | 25 g | 44.35 |
| S5091.0100 | D-Raffinose pentahydrate (min. 99.9% HPLC) | 100 g | 92.90 |
| S5093.0050 | D-Ribose (min. 99.0%) | 50 g | 57.94 |
| S5093.0250 | D-Ribose (min. 99.0%) | 250 g | 221.75 |
| S5121.0025 | D-Ribulose | 25 mg | 93.98 |
| S5121.0050 | D-Ribulose | 50 mg | 162.75 |

VIII. Chemicals

Carbohydrates

| Prod.No. | Product | Pack-size | Price in € |
|------------|---|-----------|------------|
| S5097.0001 | D-Tagatose Purity >99% (HPLC) | 1 g | 97.28 |
| S5097.0005 | D-Tagatose Purity >99% (HPLC) | 5 g | 337.63 |
| S5118.0005 | D-Turanose >99.0% (HPLC) | 5 g | 84.41 |
| S5118.0010 | D-Turanose >99.0% (HPLC) | 10 g | 148.79 |
| S5119.0250 | D-Xylose (min. 99.0% HPLC) | 250 g | 37.20 |
| S5119.0500 | D-Xylose (min. 99.0% HPLC) | 500 g | 56.67 |
| S5119.1000 | D-Xylose (min. 99.0% HPLC) | 1 kg | 71.22 |
| S5122.0025 | D-Xylulose (min. 99%) | 25 mg | 236.78 |
| S5122.0100 | D-Xylulose (min. 99%) | 100 mg | 488.25 |
| M6045.0005 | Glycogen | 5 g | 56.43 |
| M6045.0010 | Glycogen | 10 g | 102.62 |
| M6045.0025 | Glycogen | 25 g | 237.89 |
| S5058.0001 | Hyaluronic acid sodium salt | 1 g | 70.10 |
| S5058.0005 | Hyaluronic acid sodium salt | 5 g | 211.74 |
| S5066.0025 | Lactulose crystal. (min. 99.0% HPLC) | 25 g | 35.77 |
| S5066.0100 | Lactulose crystal. (min. 99.0% HPLC) | 100 g | 105.87 |
| S5048.0001 | L-Fucose (6-Deoxy-L-galactose), min. 99.6% (TLC) | 1 g | 31.47 |
| S5048.0005 | L-Fucose (6-Deoxy-L-galactose), min. 99.6% (TLC) | 5 g | 107.30 |
| S5048.0025 | L-Fucose (6-Deoxy-L-galactose), min. 99.6% (TLC) | 25 g | 376.26 |
| S5056.0001 | L-Glucose Purity > 99% (HPLC) | 1 g | 67.24 |
| S5056.0005 | L-Glucose Purity > 99% (HPLC) | 5 g | 200.29 |
| S5074.0001 | L-Mannose Purity >99% (HPLC) | 1 g | 179.61 |
| S5074.0005 | L-Mannose Purity >99% (HPLC) | 5 g | 538.82 |
| S5092.0100 | L-Rhamnose monohydrate (min. 99.0%) | 100 g | 65.81 |
| S5092.0250 | L-Rhamnose monohydrate (min. 99.0%) | 250 g | 134.48 |
| S5092.0500 | L-Rhamnose monohydrate (min. 99.0%) | 500 g | 250.36 |
| S5092.1000 | L-Rhamnose monohydrate (min. 99.0%) | 1 kg | 440.64 |
| S5094.0001 | L-Ribose (min. 99.0 HPLC) | 1 g | 131.62 |
| S5094.0005 | L-Ribose (min. 99.0 HPLC) | 5 g | 527.91 |
| S5068.0001 | Maltodextrin pure | 1 kg | 19.97 |
| S5068.0005 | Maltodextrin pure | 5 kg | 61.99 |
| S5071.0001 | Maltulose monohydrate (min. 99.0% HPLC) | 1 g | 42.92 |
| S5071.0005 | Maltulose monohydrate (min. 99.0% HPLC) | 5 g | 150.22 |
| S5071.0010 | Maltulose monohydrate (min. 99.0% HPLC) | 10 g | 281.84 |
| S5086.0001 | Panose Purity > 99% (HPLC) | 1 g | 344.35 |
| S5086.0100 | Panose Purity > 99% (HPLC) | 100 mg | 69.36 |
| S5086.0250 | Panose Purity > 99% (HPLC) | 250 mg | 117.67 |
| S5096.0000 | Wheat starch granule (C6H10O5) _n Purity >97% | bulk | on request |
| S5096.1000 | Wheat starch granule (C6H10O5) _n Purity >97% | 1 kg | 31.47 |

Modified Carbohydrates

| Prod.No. | Product | Pack-size | Price in € |
|------------|--|-----------|------------|
| S5088.0025 | 1,2,3,4,6-Penta-O-acetyl- α -D-mannopyranose | 25 g | 194.57 |
| S5088.0100 | 1,2,3,4,6-Penta-O-acetyl- α -D-mannopyranose | 100 g | 580.84 |
| S5087.0025 | 1,2,3,4,6-Penta-O-acetyl- β -D-galactopyranose | 25 g | 50.07 |
| S5087.0100 | 1,2,3,4,6-Penta-O-acetyl- β -D-galactopyranose | 100 g | 151.65 |

Modified Carbohydrates

| Prod.No. | Product | Pack-size | Price in € |
|------------|---|-----------|------------|
| S5041.0025 | 1,2,3,4-Di-O-isopropylidene-a-D-galactopyranose Purity: >98% (HPLC) | 25 g | 110.16 |
| S5041.0100 | 1,2,3,4-Di-O-isopropylidene-a-D-galactopyranose Purity: >98% (HPLC) | 100 g | 351.94 |
| S5107.0025 | 1,2,3,5-Tetra-O-acetyl-β-D-ribofuranose Purity >99% (HPLC) | 25 g | 131.62 |
| S5107.0100 | 1,2,3,5-Tetra-O-acetyl-β-D-ribofuranose Purity >99% (HPLC) | 100 g | 353.02 |
| S5035.0005 | 1,2:3,4-Di-O-isopropylidene-a-D-fucose TLC: one spot | 5 g | 145.93 |
| S5035.0025 | 1,2:3,4-Di-O-isopropylidene-a-D-fucose TLC: one spot | 25 g | 436.35 |
| S5045.0010 | 1,2:3,5-Di-O-isopropylidene-a-D-xylofuranose Purity >98% | 10 g | 351.94 |
| S5045.0025 | 1,2:3,5-Di-O-isopropylidene-a-D-xylofuranose Purity >98% | 25 g | 117.31 |
| S5043.0025 | 1,2:5,6-Di-O-isopropylidene-D-mannitol | 5 g | 124.73 |
| S5043.0100 | 1,2:5,6-Di-O-isopropylidene-D-mannitol | 100 g | 399.38 |
| S5059.0100 | 1,2-O-Isopropylidene-a-D-glucofuranose (min. 98%) | 100 g | 244.64 |
| S5061.0010 | 1,2-O-Isopropylidene-a-D-xylofuranose (min. 98%) | 10 g | 97.28 |
| S5061.0025 | 1,2-O-Isopropylidene-a-D-xylofuranose (min. 98%) | 25 g | 154.83 |
| S5061.0100 | 1,2-O-Isopropylidene-a-D-xylofuranose (min. 98%) | 100 g | 452.11 |
| S5105.0001 | 1,3,4,6-Tetra-O-acetyl-β-D-mannopyranose Purity 99% (HPLC) | 1 g | 479.27 |
| S5105.0250 | 1,3,4,6-Tetra-O-acetyl-β-D-mannopyranose Purity 99% (HPLC) | 250 mg | 160.23 |
| S5040.0025 | 1,4:3,6-Dianhydro-D-mannitol Purity: >99% (HPLC) TLC (one spot) | 25 g | 35.77 |
| S5040.0100 | 1,4:3,6-Dianhydro-D-mannitol Purity: >99% (HPLC) TLC (one spot) | 100 g | 105.87 |
| S5016.0001 | 1,6:3,4-Dianhydro-2-O-tosyl-β-D-galactopyranose Purity 99% (HPLC) | 1 g | 81.55 |
| S5016.0005 | 1,6:3,4-Dianhydro-2-O-tosyl-β-D-galactopyranose Purity 99% (HPLC) | 5 g | 324.76 |
| S5014.0001 | 1,6-Anhydro-β-D-galactopyranose Purity >99% (HPLC) | 1 g | 85.84 |
| S5014.0005 | 1,6-Anhydro-β-D-galactopyranose Purity >99% (HPLC) | 5 g | 329.05 |
| S5015.0005 | 1,6-Anhydro-β-D-glucofuranose Purity >99% (HPLC) | 5 g | 50.07 |
| S5015.0025 | 1,6-Anhydro-β-D-glucofuranose Purity >99% (HPLC) | 25 g | 170.25 |
| S5015.0100 | 1,6-Anhydro-β-D-glucofuranose Purity >99% (HPLC) | 100 g | 510.74 |
| S5013.0001 | 1-Amino-1-deoxy-β-D-galactose TLC: one spot, Purity >96% (HPLC) | 1 g | 223.18 |
| S5013.0005 | 1-Amino-1-deoxy-β-D-galactose TLC: one spot, Purity >96% (HPLC) | 5 g | 703.88 |
| S5108.0001 | 2,3,4,6-Tetra-O-acetyl-1-thio-β-D-galactopyranose Purity >99.5% (GC-MS) | 1 g | 82.06 |
| S5108.0005 | 2,3,4,6-Tetra-O-acetyl-1-thio-β-D-galactopyranose Purity >99.5% (GC-MS) | 5 g | 332.89 |
| S5109.0001 | 2,3,4,6-Tetra-O-acetyl-1-thio-β-D-glucofuranose Purity >99% | 1 g | 72.77 |
| S5109.0005 | 2,3,4,6-Tetra-O-acetyl-1-thio-β-D-glucofuranose Purity >99% | 5 g | 286.56 |
| S5100.0025 | 2,3,4,6-Tetra-O-acetyl-a-D-galactopyranosyl bromide Purity 99% (TLC) | 25 g | 133.05 |
| S5100.0050 | 2,3,4,6-Tetra-O-acetyl-a-D-galactopyranosyl bromide Purity 99% (TLC) | 50 g | 224.61 |
| S5100.0100 | 2,3,4,6-Tetra-O-acetyl-a-D-galactopyranosyl bromide Purity 99% (TLC) | 100 g | 393.43 |
| S5102.0025 | 2,3,4,6-Tetra-O-acetyl-a-D-glucofuranosyl bromide Purity 99% (TLC) | 25 g | 67.24 |
| S5102.0100 | 2,3,4,6-Tetra-O-acetyl-a-D-glucofuranosyl bromide Purity 99% (TLC) | 100 g | 174.54 |
| S5102.0250 | 2,3,4,6-Tetra-O-acetyl-a-D-glucofuranosyl bromide Purity 99% (TLC) | 250 g | 467.82 |
| S5103.0001 | 2,3,4,6-Tetra-O-acetyl-a-D-glucofuranosyl fluoride Purity 99% (HPLC) | 1 g | 44.35 |
| S5103.0005 | 2,3,4,6-Tetra-O-acetyl-a-D-glucofuranosyl fluoride Purity 99% (HPLC) | 5 g | 130.06 |
| S5103.0025 | 2,3,4,6-Tetra-O-acetyl-a-D-glucofuranosyl fluoride Purity 99% (HPLC) | 25 g | 433.53 |
| S5106.0001 | 2,3,4,6-Tetra-O-acetyl-a-D-mannopyranose Purity 99% (HPLC) | 1 g | 128.76 |
| S5106.0005 | 2,3,4,6-Tetra-O-acetyl-a-D-mannopyranose Purity 99% (HPLC) | 5 g | 479.27 |
| S5099.0001 | 2,3,4,6-Tetra-O-acetyl-β-D-galactopyranosyl azide Purity >99% (HPLC) | 1 g | 97.28 |
| S5099.0005 | 2,3,4,6-Tetra-O-acetyl-β-D-galactopyranosyl azide Purity >99% (HPLC) | 5 g | 340.49 |

VIII. Chemicals

Modified Carbohydrates

| Prod.No. | Product | Pack-size | Price in € |
|------------|--|-----------|------------|
| S5101.0001 | 2,3,4,6-Tetra-O-acetyl-β-D-glucopyranosyl azide Purity >99% (HPLC) | 1 g | 81.55 |
| S5101.0005 | 2,3,4,6-Tetra-O-acetyl-β-D-glucopyranosyl azide Purity >99% (HPLC) | 5 g | 284.70 |
| S5104.0001 | 2,3,4,6-Tetra-O-acetyl-β-D-glucopyranosyl-isothiocyanate Purity >98% | 1 g | 194.57 |
| S5104.0005 | 2,3,4,6-Tetra-O-acetyl-β-D-glucopyranosyl-isothiocyanate Purity >98% | 5 g | 662.68 |
| S5110.0001 | 2,3,4,6-Tetra-O-benzyl-a-D-galactopyranose Purity >99% (HPLC) | 1 g | 112.72 |
| S5110.0005 | 2,3,4,6-Tetra-O-benzyl-a-D-galactopyranose Purity >99% (HPLC) | 5 g | 241.54 |
| S5110.0025 | 2,3,4,6-Tetra-O-benzyl-a-D-galactopyranose Purity >99% (HPLC) | 25 g | 853.44 |
| S5111.0010 | 2,3,4,6-Tetra-O-benzyl-a-D-glucopyranose Purity >98% (HPLC) | 10 g | 307.19 |
| S5111.0025 | 2,3,4,6-Tetra-O-benzyl-a-D-glucopyranose Purity >98% (HPLC) | 25 g | 737.00 |
| S5111.0100 | 2,3,4,6-Tetra-O-benzyl-a-D-glucopyranose Purity >98% (HPLC) | 100 g | 2069.80 |
| S5112.0001 | 2,3,4,6-Tetra-O-benzyl-a-D-mannopyranose Purity >97% (HPLC) | 1 g | 119.16 |
| S5112.0005 | 2,3,4,6-Tetra-O-benzyl-a-D-mannopyranose Purity >97% (HPLC) | 5 g | 471.31 |
| S5112.0025 | 2,3,4,6-Tetra-O-benzyl-a-D-mannopyranose Purity >97% (HPLC) | 25 g | 1643.82 |
| S5117.0001 | 2,3,4-Tri-O-benzyl-L-fucopyranose > 99% (HPLC) | 1 g | 209.33 |
| S5117.0005 | 2,3,4-Tri-O-benzyl-L-fucopyranose > 99% (HPLC) | 5 g | 901.74 |
| S5117.0025 | 2,3,4-Tri-O-benzyl-L-fucopyranose > 99% (HPLC) | 25 g | 2706.47 |
| S5044.0025 | 2,3:5,6-Di-O-isopropylidene-a-D-mannofuranose Purity: >99% (HPLC) | 25 g | 70.10 |
| S5044.0100 | 2,3:5,6-Di-O-isopropylidene-a-D-mannofuranose Purity: >99% (HPLC) | 100 g | 202.58 |
| S5003.0005 | 2-Acetamido-1,3,4,6-tetra-O-acetyl-2-deoxy-β-D-glucopyranose Purity >99% (HPLC) | 5 g | 97.54 |
| S5003.0025 | 2-Acetamido-1,3,4,6-tetra-O-acetyl-2-deoxy-β-D-glucopyranose Purity >99% (HPLC) | 25 g | 304.09 |
| S5120.0001 | 2-Acetamido-2-deoxy-D-galactose | 1 g | 100.95 |
| S5120.0005 | 2-Acetamido-2-deoxy-D-galactose | 5 g | 230.39 |
| S5000.0250 | 2-Acetamido-2-deoxy-D-glucose >99.8% (HPLC) | 250 g | 107.30 |
| S5000.0500 | 2-Acetamido-2-deoxy-D-glucose >99.8% (HPLC) | 500 g | 194.57 |
| S5002.0001 | 2-Acetamido-2-deoxy-D-mannose monohydrate (Glc >99.9%) | 1 g | 54.36 |
| S5002.0005 | 2-Acetamido-2-deoxy-D-mannose monohydrate (Glc >99.9%) | 5 g | 195.21 |
| S5002.0025 | 2-Acetamido-2-deoxy-D-mannose monohydrate (Glc >99.9%) | 25 g | 690.86 |
| S5001.0001 | 2-Acetamido-2-deoxy-β-D-glucopyranosylamin >95.0% (TLC) | 1 g | 133.05 |
| S5001.0005 | 2-Acetamido-2-deoxy-β-D-glucopyranosylamin >95.0% (TLC) | 5 g | 340.63 |
| S5001.0010 | 2-Acetamido-2-deoxy-β-D-glucopyranosylamin >95.0% (TLC) | 10 g | 563.59 |
| S5005.0005 | 2-Acetamido-3,4,6-tri-O-acetyl-2-deoxy-a-D-glucopyranosyl chlorid Purity >99% (HPLC) | 5 g | 176.51 |
| S5005.0025 | 2-Acetamido-3,4,6-tri-O-acetyl-2-deoxy-a-D-glucopyranosyl chlorid Purity >99% (HPLC) | 25 g | 490.51 |
| S5004.0001 | 2-Acetamido-3,4,6-tri-O-acetyl-2-deoxy-β-D-glucopyranosyl azide Purity >99% (HPLC) | 1 g | 123.04 |
| S5004.0005 | 2-Acetamido-3,4,6-tri-O-acetyl-2-deoxy-β-D-glucopyranosyl azide Purity >99% (HPLC) | 5 g | 328.24 |
| S5006.0001 | 2-Amino-2-deoxy-1,3,4,6-tetra-O-acetyl-a-D-glucopyranose HCl Purity >99% (HPLC) | 1 g | 90.13 |
| S5006.0005 | 2-Amino-2-deoxy-1,3,4,6-tetra-O-acetyl-a-D-glucopyranose HCl Purity >99% (HPLC) | 5 g | 351.94 |
| S5022.0001 | 2-Azido-2-deoxy-1,3,4,6-tetra-O-acetyl-a,b-D-galactopyranose | 1 g | 288.99 |
| S5022.0005 | 2-Azido-2-deoxy-1,3,4,6-tetra-O-acetyl-a,b-D-galactopyranose | 5 g | 865.54 |
| S5021.0001 | 2-Azido-2-deoxy-1,3,4,6-tetra-O-acetyl-a-D-galactopyranose | 1 g | 433.49 |
| S5021.0005 | 2-Azido-2-deoxy-1,3,4,6-tetra-O-acetyl-a-D-galactopyranose | 5 g | 1297.60 |
| S5021.0250 | 2-Azido-2-deoxy-1,3,4,6-tetra-O-acetyl-a-D-galactopyranose | 250 mg | 145.93 |
| S5023.0001 | 2-Azido-2-deoxy-1,3,4,6-tetra-O-acetyl-a-D-glucopyranose | 1 g | 659.53 |
| S5023.0005 | 2-Azido-2-deoxy-1,3,4,6-tetra-O-acetyl-a-D-glucopyranose | 5 g | 1977.16 |

Modified Carbohydrates

| Prod.No. | Product | Pack-size | Price in € |
|------------|---|------------|------------|
| S5023.0250 | 2-Azido-2-deoxy-1,3,4,6-tetra-O-acetyl- α -D-glucopyranose | 250 mg | 221.75 |
| S5026.0001 | 2-Azido-2-deoxy-1,3,4,6-tetra-O-acetyl- α -D-mannopyranose | 1 g | 567.97 |
| S5026.0005 | 2-Azido-2-deoxy-1,3,4,6-tetra-O-acetyl- α -D-mannopyranose | 5 g | 1702.47 |
| S5024.0250 | 2-Azido-2-deoxy-1,3,4,6-tetra-O-acetyl- β -D-glucopyranose | 250 mg | 330.48 |
| S5025.0001 | 2-Azido-2-deoxy-4-O-(2,3,4,6-tetra-O-acetyl- β -D-galactopyranosyl)-1,3,6-tri-O-acetyl- α , β -D-glucopyranose | 1 g | 771.12 |
| S5025.0005 | 2-Azido-2-deoxy-4-O-(2,3,4,6-tetra-O-acetyl- β -D-galactopyranosyl)-1,3,6-tri-O-acetyl- α , β -D-glucopyranose | 5 g | 2313.36 |
| S5036.0001 | 2-Deoxy-D-erythro-pentose Purity >99% (HPLC) | 1 g | 18.60 |
| S5036.0005 | 2-Deoxy-D-erythro-pentose Purity >99% (HPLC) | 5 g | 74.39 |
| S5036.0025 | 2-Deoxy-D-erythro-pentose Purity >99% (HPLC) | 25 g | 261.81 |
| S5037.0001 | 2-Deoxy- β -D-galactose Purity >99% (HPLC) | 1 g | 45.78 |
| S5037.0005 | 2-Deoxy- β -D-galactose Purity >99% (HPLC) | 5 g | 180.26 |
| S5116.0005 | 3,4,6-Tri-O-acetyl-D-galactal Purity >97% (HPLC) | 5 g | 133.65 |
| S5116.0025 | 3,4,6-Tri-O-acetyl-D-galactal Purity >97% (HPLC) | 25 g | 372.84 |
| S5038.0005 | 3,4-Di-O-acetyl-L-rhamnal Purity >98% (GC) | 5 g | 263.24 |
| S5038.0025 | 3,4-Di-O-acetyl-L-rhamnal Purity >98% (GC) | 25 g | 1054.39 |
| S5060.0005 | 3,4-O-Isopropylidene-D-mannitol (min. 99.0% GLC) | 5 g | 221.75 |
| S5060.0025 | 3,4-O-Isopropylidene-D-mannitol (min. 99.0% GLC) | 25 g | 836.09 |
| S5039.0005 | 3,6-Di-O-acetyl-4-O-(2,3,4,6-tetra-O-acetyl- β -D-galactopyranosyl)-D-glucal Purity: >99% (HPLC) | 5 g | 201.72 |
| S5039.0025 | 3,6-Di-O-acetyl-4-O-(2,3,4,6-tetra-O-acetyl- β -D-galactopyranosyl)-D-glucal Purity: >99% (HPLC) | 25 g | 605.17 |
| S5019.0000 | 3-Azido-1-O-dimethyl-t-butylsilyl-2,3,6-trideoxy- β -L-arabino-hexopyranose | on request | on request |
| S5012.0001 | Allyl 2,3,4-tri-O-benzyl- α -D-glucopyranoside Purity (TLC): one spot | 1 g | 148.79 |
| S5012.0005 | Allyl 2,3,4-tri-O-benzyl- α -D-glucopyranoside Purity (TLC): one spot | 5 g | 588.00 |
| S5007.0001 | Allyl 2-acetamido-2-deoxy- α -D-glucopyranoside Purity > 99% (TLC) | 1 g | 54.36 |
| S5007.0005 | Allyl 2-acetamido-2-deoxy- α -D-glucopyranoside Purity > 99% (TLC) | 5 g | 184.55 |
| S5007.0025 | Allyl 2-acetamido-2-deoxy- α -D-glucopyranoside Purity > 99% (TLC) | 25 g | 646.65 |
| S5008.0001 | Allyl 2-acetamido-2-deoxy- β -D-glucopyranoside Purity > 99% (TLC) | 1 g | 82.98 |
| S5008.0005 | Allyl 2-acetamido-2-deoxy- β -D-glucopyranoside Purity > 99% (TLC) | 5 g | 284.70 |
| S5009.0001 | Allyl α -D-galactopyranoside Purity > 99% (TLC) | 1 g | 80.12 |
| S5009.0005 | Allyl α -D-galactopyranoside Purity > 99% (TLC) | 5 g | 238.92 |
| S5009.0010 | Allyl α -D-galactopyranoside Purity > 99% (TLC) | 10 g | 444.93 |
| S5010.0001 | Allyl α -D-glucopyranoside Purity > 99% (TLC) | 1 g | 85.84 |
| S5010.0005 | Allyl α -D-glucopyranoside Purity > 99% (TLC) | 5 g | 251.79 |
| S5010.0010 | Allyl α -D-glucopyranoside Purity > 99% (TLC) | 10 g | 463.53 |
| S5011.0001 | Allyl β -D-glucopyranoside Purity > 99% (TLC) | 1 g | 104.44 |
| S5011.0005 | Allyl β -D-glucopyranoside Purity > 99% (TLC) | 5 g | 307.59 |
| S5011.0010 | Allyl β -D-glucopyranoside Purity > 99% (TLC) | 10 g | 552.23 |
| S5032.0005 | alpha-Cyclodextrin Purity >98.0% | 5 g | 22.18 |
| S5032.0025 | alpha-Cyclodextrin Purity >98.0% | 25 g | 88.70 |
| S5018.1000 | Arbutin Purity >98% (HPLC) | bulk | on request |
| S5028.0001 | Benzyl 2-acetamido-2-deoxy- α -D-glucopyranoside TLC: one spot Purity > 99% (HPLC) | 1 g | 37.20 |
| S5028.0005 | Benzyl 2-acetamido-2-deoxy- α -D-glucopyranoside TLC: one spot Purity > 99% (HPLC) | 5 g | 111.59 |
| S5028.0025 | Benzyl 2-acetamido-2-deoxy- α -D-glucopyranoside TLC: one spot Purity > 99% (HPLC) | 25 g | 387.71 |
| S5027.0001 | Benzyl 2-acetamido-4,6-O-benzylidene--2-deoxy- α -D-glucopyranoside TLC: one spot | 1 g | 57.23 |

VIII. Chemicals

Modified Carbohydrates

| Prod.No. | Product | Pack-size | Price in € |
|------------|--|-----------|------------|
| S5027.0005 | Benzyl 2-acetamido-4,6-O-benzylidene--2-deoxy-a-D-glucopyranoside TLC: one spot | 5 g | 168.82 |
| S5027.0025 | Benzyl 2-acetamido-4,6-O-benzylidene--2-deoxy-a-D-glucopyranoside TLC: one spot | 25 g | 506.45 |
| S5029.0001 | Benzyl a-D-mannopyranoside | 1 g | 114.45 |
| S5029.0005 | Benzyl a-D-mannopyranoside | 5 g | 399.15 |
| S5029.0025 | Benzyl a-D-mannopyranoside | 25 g | 1196.02 |
| S5033.0025 | beta-Cyclodextrin Purity > 99.0% | 25 g | 28.61 |
| S5033.0100 | beta-Cyclodextrin Purity > 99.0% | 100 g | 91.56 |
| S5065.0005 | beta-Lactose-octaacetate (min. 99.0% HPLC) | 5 g | 88.70 |
| S5065.0025 | beta-Lactose-octaacetate (min. 99.0% HPLC) | 25 g | 351.94 |
| S5070.0005 | beta-Maltose octaacetate (min. 99.0% HPLC) | 5 g | 88.70 |
| S5070.0025 | beta-Maltose octaacetate (min. 99.0% HPLC) | 25 g | 351.94 |
| S5030.0010 | D(+)-Cellobiose | 10 g | 35.77 |
| S5030.0050 | D(+)-Cellobiose | 50 g | 105.87 |
| S5030.0250 | D(+)-Cellobiose | 250 g | 369.11 |
| S5017.0100 | D-Arabinose Purity >99% (HPLC) | 100 g | 66.15 |
| S5017.0250 | D-Arabinose Purity >99% (HPLC) | 250 g | 103.01 |
| S5034.0001 | gamma-Cyclodextrin Purity > 98.0% | 1 g | 65.81 |
| S5034.0005 | gamma-Cyclodextrin Purity > 98.0% | 5 g | 170.25 |
| S5062.0005 | Lactitol monohydrate (min. 99.0% HPLC) | 5 g | 78.69 |
| S5062.0025 | Lactitol monohydrate (min. 99.0% HPLC) | 25 g | 179.61 |
| S5085.0005 | Methyl 2,3,5-tri-O-benzoyl-a-D-arabinofuranoside | 5 g | 90.13 |
| S5085.0025 | Methyl 2,3,5-tri-O-benzoyl-a-D-arabinofuranoside | 25 g | 351.94 |
| S5085.0050 | Methyl 2,3,5-tri-O-benzoyl-a-D-arabinofuranoside | 50 g | 668.11 |
| S5075.0001 | Methyl 2-azido-2-deoxy-3,4,6-tri-O-acetyl-β-D-mannopyranoside | 1 g | 675.27 |
| S5075.0250 | Methyl 2-azido-2-deoxy-3,4,6-tri-O-acetyl-β-D-mannopyranoside | 250 mg | 168.82 |
| S5077.0005 | Methyl 4,6-O-benzylidene-a-D-glucopyranoside | 5 g | 35.77 |
| S5077.0025 | Methyl 4,6-O-benzylidene-a-D-glucopyranoside | 25 g | 124.47 |
| S5077.0100 | Methyl 4,6-O-benzylidene-a-D-glucopyranoside | 100 g | 370.54 |
| S5076.0005 | Methyl 4,6-O-benzylidene-β-D-galactopyranoside | 5 g | 84.41 |
| S5076.0025 | Methyl 4,6-O-benzylidene-β-D-galactopyranoside | 25 g | 337.63 |
| S5078.0005 | Methyl 4,6-O-benzylidene-β-D-glucopyranoside | 5 g | 88.70 |
| S5078.0025 | Methyl 4,6-O-benzylidene-β-D-glucopyranoside | 25 g | 351.94 |
| S5078.0050 | Methyl 4,6-O-benzylidene-β-D-glucopyranoside | 50 g | 669.54 |
| S5079.0005 | Methyl 6-deoxy-a-L-mannopyranoside | 5 g | 92.99 |
| S5079.0025 | Methyl 6-deoxy-a-L-mannopyranoside | 25 g | 371.97 |
| S5080.0001 | Methyl a-D-fucopyranoside Purity (HPLC) >99% | 1 g | 145.93 |
| S5080.0005 | Methyl a-D-fucopyranoside Purity (HPLC) >99% | 5 g | 580.84 |
| S5080.0250 | Methyl a-D-fucopyranoside Purity (HPLC) >99% | 250 mg | 48.64 |
| S5081.0001 | Methyl a-L-fucopyranoside Purity (HPLC) >99% | 1 g | 84.41 |
| S5081.0005 | Methyl a-L-fucopyranoside Purity (HPLC) >99% | 5 g | 337.63 |
| S5081.0250 | Methyl a-L-fucopyranoside Purity (HPLC) >99% | 250 mg | 28.61 |
| S5082.0005 | Methyl β-D-galactopyranoside Purity >99%(HPLC) | 5 g | 72.96 |
| S5082.0010 | Methyl β-D-galactopyranoside Purity >99%(HPLC) | 10 g | 118.74 |
| S5082.0025 | Methyl β-D-galactopyranoside Purity >99%(HPLC) | 25 g | 260.38 |
| S5082.0100 | Methyl β-D-galactopyranoside Purity >99%(HPLC) | 100 g | 781.14 |
| S5083.0005 | Methyl β-D-glucopyranoside hemihydrate Purity >99% (HPLC) | 5 g | 38.63 |

Modified Carbohydrates

| Prod.No. | Product | Pack-size | Price in € |
|------------|---|-----------|------------|
| S5083.0010 | Methyl β -D-glucopyranoside hemihydrate Purity >99% (HPLC) | 10 g | 72.96 |
| S5083.0025 | Methyl β -D-glucopyranoside hemihydrate Purity >99% (HPLC) | 25 g | 137.34 |
| S5083.0100 | Methyl β -D-glucopyranoside hemihydrate Purity >99% (HPLC) | 100 g | 416.32 |
| S5084.0001 | Methyl β -D-ribosepyranoside Purity >99% (HPLC) | 1 g | 62.95 |
| S5084.0005 | Methyl β -D-ribosepyranoside Purity >99% (HPLC) | 5 g | 185.98 |
| S5084.0025 | Methyl β -D-ribosepyranoside Purity >99% (HPLC) | 25 g | 738.22 |
| S5020.0001 | O-(2-Azido-2-deoxy-3,4,6-tri-O-acetyl- β -D-galactopyranosyl)-trichloroacetimidat | 1 g | 1260.40 |
| S5020.0100 | O-(2-Azido-2-deoxy-3,4,6-tri-O-acetyl- β -D-galactopyranosyl)-trichloroacetimidat | 100 mg | 181.69 |
| S5089.0001 | Phenyl 2-acetamido-3,4,6-tri-O-acetyl-2-deoxy-a-D-galactopyranoside | 1 g | 197.43 |
| S5089.0005 | Phenyl 2-acetamido-3,4,6-tri-O-acetyl-2-deoxy-a-D-galactopyranoside | 5 g | 789.72 |
| S5090.0005 | Phenyl- β -D-galactopyranoside (min. 99.0%) | 5 g | 65.81 |
| S5090.0025 | Phenyl- β -D-galactopyranoside (min. 99.0%) | 25 g | 264.67 |

Sugar Phosphates

| Prod.No. | Product | Pack-size | Price in € |
|------------|---|-----------|------------|
| S5193.0001 | a-D-Galactopyranose-phosphate di-potassium salt dihydrate (min. 99.0% HPLC) | 1 g | 135.91 |
| S5193.0005 | a-D-Galactopyranose-phosphate di-potassium salt dihydrate (min. 99.0% HPLC) | 5 g | 536.49 |
| S5194.0005 | a-D-Glucopyranose-phosphate di-potassium salt dihydrate (min. 99.0% HPLC) | 5 g | 41.49 |
| S5194.0025 | a-D-Glucopyranose-phosphate di-potassium salt dihydrate (min. 99.0% HPLC) | 25 g | 170.25 |
| S5195.0001 | a-D-Mannopyranose-phosphate di-potassium salt dihydrate (min. 99.0% HPLC) | 1 g | 429.20 |
| S5195.0005 | a-D-Mannopyranose-phosphate di-potassium salt dihydrate (min. 99.0% HPLC) | 5 g | 1809.77 |

Denaturing Reagents

| Prod.No. | Product | Pack-size | Price in € |
|------------|---|-----------|------------|
| M6053.0100 | Guanidine hydrochloride - 4M Solution. | 100 mL | 24.68 |
| M6053.0250 | Guanidine hydrochloride - 4M Solution. | 250 mL | 42.53 |
| M6053.0500 | Guanidine hydrochloride - 4M Solution. | 500 mL | 64.58 |
| M6054.0100 | Guanidine hydrochloride - 8M Solution. | 100 mL | 30.08 |
| M6054.0250 | Guanidine hydrochloride - 8M Solution. | 250 mL | 48.20 |
| M6054.0500 | Guanidine hydrochloride - 8M Solution. | 500 mL | 80.33 |
| M6049.0250 | Guanidine thiocyanate - 4M Solution. | 250 mL | 87.37 |
| M6049.0100 | Guanidine thiocyanate - 4M Solution. | 100 mL | 39.41 |
| M6049.1000 | Guanidine thiocyanate - 4M Solution. | 1 L | 220.22 |
| M6050.0250 | Guanidine thiocyanate - 6M Solution. | 250 mL | 102.47 |
| M6050.0100 | Guanidine thiocyanate - 6M Solution. | 100 mL | 52.37 |
| M6050.1000 | Guanidine thiocyanate - 6M Solution. | 1 L | 306.50 |
| M6051.0100 | Guanidine thiocyanate Molecular biology grade | 100 g | 40.69 |
| M6051.0250 | Guanidine thiocyanate Molecular biology grade | 250 g | 66.68 |
| M6051.0500 | Guanidine thiocyanate Molecular biology grade | 500 g | 113.93 |

VIII. Chemicals

Non-Ionic Detergents

| Prod.No. | Product | Pack-size | Price in € |
|------------|--|-----------|------------|
| S5156.0001 | MEGA-10 | 1 g | 35.77 |
| S5156.0005 | MEGA-10 | 5 g | 164.52 |
| S5156.0010 | MEGA-10 | 10 g | 278.98 |
| S5156.0025 | MEGA-10 | 25 g | 556.52 |
| S5154.0001 | MEGA-8 | 1 g | 35.77 |
| S5154.0005 | MEGA-8 | 5 g | 164.52 |
| S5154.0010 | MEGA-8 | 10 g | 278.98 |
| S5154.0025 | MEGA-8 | 25 g | 556.52 |
| S5155.0001 | MEGA-9 | 1 g | 35.77 |
| S5155.0005 | MEGA-9 | 5 g | 164.52 |
| S5155.0010 | MEGA-9 | 10 g | 278.98 |
| S5155.0025 | MEGA-9 | 25 g | 556.52 |
| S5133.0001 | n-Decyl- β -D-glucopyranoside (min. 99.0% TLC) | 1 g | 71.53 |
| S5133.0005 | n-Decyl- β -D-glucopyranoside (min. 99.0% TLC) | 5 g | 284.70 |
| S5133.0010 | n-Decyl- β -D-glucopyranoside (min. 99.0% TLC) | 10 g | 506.45 |
| S5133.0025 | n-Decyl- β -D-glucopyranoside (min. 99.0% TLC) | 25 g | 1067.27 |
| S5147.0001 | n-Decyl- β -maltoside (DM) > 99% | 1 g | 74.39 |
| S5147.0005 | n-Decyl- β -maltoside (DM) > 99% | 5 g | 274.68 |
| S5147.0010 | n-Decyl- β -maltoside (DM) > 99% | 10 g | 523.62 |
| S5147.0025 | n-Decyl- β -maltoside (DM) > 99% | 25 g | 1027.21 |
| S5148.0001 | n-Decyl- β -maltoside (DM) > 99.5% for crystallography | 1 g | 92.99 |
| S5148.0005 | n-Decyl- β -maltoside (DM) > 99.5% for crystallography | 5 g | 343.36 |
| S5148.0010 | n-Decyl- β -maltoside (DM) > 99.5% for crystallography | 10 g | 640.93 |
| S5148.0025 | n-Decyl- β -maltoside (DM) > 99.5% for crystallography | 25 g | 1284.72 |
| S5134.0001 | n-Dodecyl- β -D-glucopyranoside (min. 99.0% TLC) | 1 g | 85.84 |
| S5134.0005 | n-Dodecyl- β -D-glucopyranoside (min. 99.0% TLC) | 5 g | 337.63 |
| S5134.0010 | n-Dodecyl- β -D-glucopyranoside (min. 99.0% TLC) | 10 g | 640.93 |
| S5134.0025 | n-Dodecyl- β -D-glucopyranoside (min. 99.0% TLC) | 25 g | 1347.67 |
| S5150.0001 | n-Dodecyl- β -maltoside (DDM) > 99% | 1 g | 63.17 |
| S5150.0005 | n-Dodecyl- β -maltoside (DDM) > 99% | 5 g | 278.70 |
| S5150.0010 | n-Dodecyl- β -maltoside (DDM) > 99% | 10 g | 476.88 |
| S5150.0025 | n-Dodecyl- β -maltoside (DDM) > 99% | 25 g | 1145.76 |
| S5151.0001 | n-Dodecyl- β -maltoside (DDM) > 99.5% | 1 g | 80.51 |
| S5151.0005 | n-Dodecyl- β -maltoside (DDM) > 99.5% | 5 g | 291.08 |
| S5151.0010 | n-Dodecyl- β -maltoside (DDM) > 99.5% | 10 g | 551.20 |
| S5151.0025 | n-Dodecyl- β -maltoside (DDM) > 99.5% | 25 g | 1238.04 |
| S5132.0001 | n-Nonyl β -D-glucopyranoside (min. 99.0% TLC) | 1 g | 84.41 |
| S5132.0005 | n-Nonyl β -D-glucopyranoside (min. 99.0% TLC) | 5 g | 316.17 |
| S5132.0010 | n-Nonyl β -D-glucopyranoside (min. 99.0% TLC) | 10 g | 590.86 |
| S5132.0025 | n-Nonyl β -D-glucopyranoside (min. 99.0% TLC) | 25 g | 1177.43 |
| S5135.0001 | n-Nonyl β -maltoside (NM) > 99% | 1 g | 68.13 |
| S5135.0005 | n-Nonyl β -maltoside (NM) > 99% | 5 g | 291.08 |
| S5135.0010 | n-Nonyl β -maltoside (NM) > 99% | 10 g | 476.88 |
| S5135.0025 | n-Nonyl β -maltoside (NM) > 99% | 25 g | 1083.83 |
| S5146.0001 | n-Nonyl β -maltoside (NM) > 99.5% | 1 g | 72.46 |
| S5146.0005 | n-Nonyl β -maltoside (NM) > 99.5% | 5 g | 291.70 |

Non-Ionic Detergents

| Prod.No. | Product | Pack-size | Price in € |
|------------|---|-----------|------------|
| S5146.0010 | n-Nonyl β -maltoside (NM) > 99.5% | 10 g | 539.99 |
| S5146.0025 | n-Nonyl β -maltoside (NM) > 99.5% | 25 g | 1238.47 |
| S5153.0001 | n-Octyl 1-thio- β -D-glucopyranoside | 1 g | 42.92 |
| S5153.0005 | n-Octyl 1-thio- β -D-glucopyranoside | 5 g | 170.25 |
| S5153.0010 | n-Octyl 1-thio- β -D-glucopyranoside | 10 g | 304.73 |
| S5153.0025 | n-Octyl 1-thio- β -D-glucopyranoside | 25 g | 676.70 |
| S5130.0001 | n-Octyl- β -D-glucopyranoside (min. 99.0% TLC) | 1 g | 41.49 |
| S5130.0005 | n-Octyl- β -D-glucopyranoside (min. 99.0% TLC) | 5 g | 154.51 |
| S5130.0010 | n-Octyl- β -D-glucopyranoside (min. 99.0% TLC) | 10 g | 296.14 |
| S5130.0025 | n-Octyl- β -D-glucopyranoside (min. 99.0% TLC) | 25 g | 579.41 |
| S5131.0001 | n-Octyl- β -D-glucopyranoside (min. 99.5% TLC) | 1 g | 52.93 |
| S5131.0005 | n-Octyl- β -D-glucopyranoside (min. 99.5% TLC) | 5 g | 196.00 |
| S5131.0010 | n-Octyl- β -D-glucopyranoside (min. 99.5% TLC) | 10 g | 363.39 |
| S5131.0025 | n-Octyl- β -D-glucopyranoside (min. 99.5% TLC) | 25 g | 733.92 |
| M3165.0250 | Nonidet(R) P40 | 250 mL | 24.03 |
| M3165.0500 | Nonidet(R) P40 | 500 mL | 39.06 |
| M3166.0025 | Nonidet(R) P40 - Solution (10 %) peroxide-free | 25 mL | 34.55 |
| M3166.0050 | Nonidet(R) P40 - Solution (10 %) peroxide-free | 50 mL | 58.59 |
| M3166.0100 | Nonidet(R) P40 - Solution (10 %) peroxide-free | 100 mL | 94.64 |
| S5152.0001 | n-Tridecyl- β -maltoside (TDM) > 99.5% | 1 g | 115.57 |
| S5152.0005 | n-Tridecyl- β -maltoside (TDM) > 99.5% | 5 g | 462.64 |
| S5152.0010 | n-Tridecyl- β -maltoside (TDM) > 99.5% | 10 g | 928.99 |
| S5152.0025 | n-Tridecyl- β -maltoside (TDM) > 99.5% | 25 g | 1857.99 |
| S5149.0001 | n-Undecyl- β -maltoside > 99.0% | 1 g | 78.69 |
| S5149.0005 | n-Undecyl- β -maltoside > 99.0% | 5 g | 293.28 |
| S5149.0010 | n-Undecyl- β -maltoside > 99.0% | 10 g | 565.11 |
| S5149.0025 | n-Undecyl- β -maltoside > 99.0% | 25 g | 1098.74 |
| S5157.0001 | n-Undecyl- β -maltoside > 99.5% for crystallography | 1 g | 98.71 |
| S5157.0005 | n-Undecyl- β -maltoside > 99.5% for crystallography | 5 g | 366.25 |
| S5157.0010 | n-Undecyl- β -maltoside > 99.5% for crystallography | 10 g | 709.60 |
| S5157.0025 | n-Undecyl- β -maltoside > 99.5% for crystallography | 25 g | 1373.42 |
| M6060.1000 | Polyethyleneglycol 1000 | 1 kg | 36.05 |
| M6060.5000 | Polyethyleneglycol 1000 | 5 kg | 105.23 |
| M6059.1000 | Polyethyleneglycol 400 | 1 L | 33.05 |
| M6059.2500 | Polyethyleneglycol 400 | 2.5 L | 66.10 |
| M3167.1000 | Polyethyleneglycol 4000 | 1 kg | 28.54 |
| M3167.5000 | Polyethyleneglycol 4000 | 5 kg | 83.29 |
| M3168.1000 | Polyethyleneglycol 6000 | 1 kg | 32.74 |
| M3168.5000 | Polyethyleneglycol 6000 | 5 kg | 113.06 |
| M6061.0500 | Polyethyleneglycol 8000 | 500 g | 23.61 |
| M6061.1000 | Polyethyleneglycol 8000 | 1 kg | 34.55 |
| M3169.0100 | Triton(R) X-100 | 100 mL | 20.22 |
| M3169.0500 | Triton(R) X-100 | 500 mL | 23.53 |
| M3169.1000 | Triton(R) X-100 | 1 L | 29.29 |
| M3170.0025 | Triton(R) X-100 peroxide-free | 25 mL | 29.49 |
| M3170.0050 | Triton(R) X-100 peroxide-free | 50 mL | 46.86 |

Non-Ionic Detergents

| Prod.No. | Product | Pack-size | Price in € |
|------------|--|-----------|------------|
| M3170.0100 | Triton(R) X-100 peroxide-free | 100 mL | 75.95 |
| M3171.0500 | Tween(TM) 20 | 500 mL | 28.54 |
| M3171.1000 | Tween(TM) 20 | 1 L | 45.82 |
| M3171.2500 | Tween(TM) 20 | 2.5 L | 94.54 |
| M3172.0025 | Tween(TM) 20 - Solution (10 %) peroxide-free | 25 mL | 33.05 |
| M3172.0050 | Tween(TM) 20 - Solution (10 %) peroxide-free | 50 mL | 52.43 |
| M3172.0100 | Tween(TM) 20 - Solution (10 %) peroxide-free | 100 mL | 81.96 |
| M3174.0025 | Tween(TM) 80 - Solution (10 %) peroxide-free | 25 mL | 33.80 |
| M3174.0050 | Tween(TM) 80 - Solution (10 %) peroxide-free | 50 mL | 52.42 |
| M3174.0100 | Tween(TM) 80 - Solution (10 %) peroxide-free | 100 mL | 83.16 |
| M3173.0500 | Tween(TM) 80, tested for use in tissue culture | 500 mL | 30.79 |
| M3173.1000 | Tween(TM) 80, tested for use in tissue culture | 1 L | 48.23 |
| M3173.2500 | Tween(TM) 80, tested for use in tissue culture | 2.5 L | 103.01 |

Dyes & Functional Groups

Labelling Kits

| Prod.No. | Product | Pack-size | Price in € |
|------------|---|--------------|------------|
| S5246.0005 | 5' Carboxy-Fluorescein (5-FAM), single isomer | 5 reactions | 238.98 |
| S5246.0010 | 5' Carboxy-Fluorescein (5-FAM), single isomer | 10 reactions | 341.41 |
| S5248.0005 | 5-Carboxy-Tetramethylrhodamine (5-TAMRA), single isomer | 5 reactions | 238.98 |
| S5248.0010 | 5-Carboxy-Tetramethylrhodamine (5-TAMRA), single isomer | 10 reactions | 273.12 |
| S5250.0005 | 5-Carboxy-X-Rhodamin (5-ROX), single isomer | 5 reactions | 238.98 |
| S5250.0010 | 5-Carboxy-X-Rhodamin (5-ROX), single isomer | 10 reactions | 341.41 |
| S5247.0005 | 6'-Carboxy-Fluorescein (6-FAM), single isomer | 5 reactions | 238.98 |
| S5247.0010 | 6'-Carboxy-Fluorescein (6-FAM), single isomer | 10 reactions | 341.41 |
| S5249.0005 | 6-Carboxy-Tetramethylrhodamine (6-TAMRA), single isomer | 5 reactions | 238.98 |
| S5249.0010 | 6-Carboxy-Tetramethylrhodamine (6-TAMRA), single isomer | 10 reactions | 273.12 |
| S5251.0005 | 6-Carboxy-X-Rhodamin (6-ROX), single isomer | 5 reactions | 238.98 |
| S5251.0010 | 6-Carboxy-X-Rhodamin (6-ROX), single isomer | 10 reactions | 341.41 |
| S5253.0005 | DY-633 | 5 reactions | 238.98 |
| S5253.0010 | DY-633 | 10 reactions | 341.41 |
| S5255.0005 | DY-651 | 5 reactions | 238.98 |
| S5255.0010 | DY-651 | 10 reactions | 341.41 |
| S5254.0005 | DY-675 | 5 reactions | 238.98 |
| S5254.0010 | DY-675 | 10 reactions | 341.41 |
| S5256.0005 | Fluorescein Protein Labeling Kit | 5 reactions | 189.82 |
| S5256.0010 | Fluorescein Protein Labeling Kit | 10 reactions | 273.12 |
| S5252.0005 | MANT (N-Methylantranilic acid) | 5 reactions | 238.98 |
| S5252.0010 | MANT (N-Methylantranilic acid) | 10 reactions | 273.12 |
| S5257.0005 | Tetramethylrhodamine Protein Labeling Kit | 5 reactions | 189.82 |
| S5257.0010 | Tetramethylrhodamine Protein Labeling Kit | 10 reactions | 273.12 |
| S5258.0005 | X-Rhodamine Protein Labeling Kit | 5 reactions | 189.82 |
| S5258.0010 | X-Rhodamine Protein Labeling Kit | 10 reactions | 273.12 |

Fluorescent Dyes

| Prod.No. | Product | Pack-size | Price in € |
|------------|--|------------|------------|
| S5472.0500 | 10-Dodecylacridine Orange Bromide | 500 mg | 207.23 |
| S5467.0100 | 2-Anthracenylsulfonyl chloride | 100 mg | 121.28 |
| S5409.0001 | 5/6 FAM mixed isomers | 1 g | 38.24 |
| S5409.0005 | 5/6 FAM mixed isomers | 5 g | 104.74 |
| S5531.0100 | 5/6-FAM DA | 100 mg | 118.52 |
| S5444.0020 | 5/6-JOE mixed isomer | 20 mg | 136.25 |
| S5411.0100 | 5/6-ROX, mixed isomers | 100 mg | 152.29 |
| S5411.1000 | 5/6-ROX, mixed isomers | 1 g | 1223.32 |
| S5410.0100 | 5/6-TAMRA, mixed isomers | 100 mg | 105.15 |
| S5410.0500 | 5/6-TAMRA, mixed isomers | 500 mg | 375.55 |
| S5410.0001 | 5/6-TAMRA, mixed isomers | 1 g | 667.01 |
| S5518.0005 | 5-Aminofluorescein | 5 g | 231.53 |
| S5521.0100 | 5-FAM DA | 100 mg | 170.89 |
| S5412.0025 | 5-FAM, single isomer | 25 mg | 38.24 |
| S5412.0100 | 5-FAM, single isomer | 100 mg | 102.42 |
| S5448.0005 | 5-JOE single isomer | 5 mg | 148.64 |
| S5514.0025 | 5-Maleinimido-eosin | 25 mg | 258.10 |
| S5416.0025 | 5-ROX, single isomer | 25 mg | 187.09 |
| S5416.0100 | 5-ROX, single isomer | 100 mg | 662.33 |
| S5414.0025 | 5-TAMRA, single isomer | 25 mg | 275.63 |
| S5414.0100 | 5-TAMRA, single isomer | 100 mg | 854.44 |
| S5496.0025 | 6-(4-Acetamido-1,8-naphthalamido)hexanoic acid | 25 mg | 82.69 |
| S5543.0005 | 6-Aminofluorescein | 5 g | 241.45 |
| S5480.0100 | 6-FAM DA | 100 mg | 175.30 |
| S5413.0025 | 6-FAM, single isomer | 25 mg | 38.24 |
| S5413.0100 | 6-FAM, single isomer | 100 mg | 102.42 |
| S5454.0005 | 6-JOE single isomer | 5 mg | 148.64 |
| S5417.0025 | 6-ROX, single isomer | 25 mg | 187.09 |
| S5417.0100 | 6-ROX, single isomer | 100 mg | 662.33 |
| S5415.0025 | 6-TAMRA, single isomer | 25 mg | 275.63 |
| S5415.0100 | 6-TAMRA, single isomer | 100 mg | 854.44 |
| S5466.0100 | 7-Acetoxy-1-methyl-quinolinium iodide | 100 mg | 496.13 |
| S5532.0000 | 7-Aminoactinomycin D | on request | on request |
| S5445.0100 | Alcian Blue 8GX | 100 g | 826.88 |
| S5447.0025 | Amplex Red | 25 mg | 341.78 |
| S5536.0025 | Colcemid | 25 mg | 413.44 |
| S5538.0005 | Colchicine | 5 g | 192.94 |
| S5452.0005 | Coumarin 120, AMC | 5 g | 430.50 |
| S5439.0001 | DAF-2 | 1 mg | 115.76 |
| S5440.0001 | DAF-2 DA | 1 mg | 145.57 |
| S5442.0001 | DAF-2T | 1 mg | 180.30 |
| S5462.0001 | DAF-4 | 1 mg | 523.69 |
| S5463.0001 | DAF-4T | 1 mg | 600.86 |
| S5449.0001 | DAF-FM | 1 mg | 273.00 |
| S5450.0001 | DAF-FM DA | 1 mg | 273.00 |
| S5497.0100 | DAN | 100 mg | 43.00 |

VIII. Chemicals

Fluorescent Dyes

| Prod.No. | Product | Pack-size | Price in € |
|------------|------------------------------------|-----------|------------|
| S5468.0010 | DAN-1 EE T | 10 mg | 187.43 |
| S5446.0001 | DAR 1T | 1 mg | 501.64 |
| S5438.0001 | DAR-1 | 1 mg | 107.49 |
| S5441.0001 | DAR-2 | 1 mg | 115.76 |
| S5464.0001 | DAR-2T | 1 mg | 534.71 |
| S5465.0001 | DAR-4MT | 1 mg | 633.94 |
| S5473.0100 | Dihydroethidium | 100 mg | 214.86 |
| S5461.0010 | EthD-1, EtDi | 10 mg | 380.36 |
| S5455.0005 | Monocarboxymethylene Blue | 5 mg | 214.29 |
| S5471.0010 | O'-(Carboxymethyl)fluoresceinamide | 10 mg | 203.96 |
| S5537.0050 | PCPF | 50 mg | 82.69 |

Functional Groups

| Prod.No. | Product | Pack-size | Price in € |
|------------|---|------------|------------|
| S5488.0050 | 2-(4-Maleinimidophenyl)-6-methylbenzothiazole | 50 mg | 181.91 |
| S5503.0025 | 5(6)-Carboxy-DCF DA SE | 25 mg | 82.69 |
| S5505.0100 | 5(6)-FAM DA SE | 100 mg | 242.55 |
| S5517.0000 | 5(6)-SFX SE | on request | on request |
| S5545.0250 | 5/6 FITC | 250 mg | 60.64 |
| S5545.1000 | 5/6 FITC | 1 g | 123.48 |
| S5421.0020 | 5/6 ROX-SE, mixed isomers | 20 mg | 184.36 |
| S5421.0100 | 5/6 ROX-SE, mixed isomers | 100 mg | 348.23 |
| S5421.1000 | 5/6 ROX-SE, mixed isomers | 1 g | on request |
| S5420.0025 | 5/6 TAMRA-SE, mixed isomers | 25 mg | 170.70 |
| S5420.0100 | 5/6 TAMRA-SE, mixed isomers | 100 mg | 512.11 |
| S5420.1000 | 5/6 TAMRA-SE, mixed isomers | 1 g | on request |
| S5539.0100 | 5/6-FAM DA SE | 100 mg | 244.76 |
| S5422.0020 | 5/6-FAM SE | 20 mg | 71.01 |
| S5422.0100 | 5/6-FAM SE | 100 mg | 115.76 |
| S5419.0020 | 5/6-FAM-SE, mixed isomers | 20 mg | 38.24 |
| S5419.0100 | 5/6-FAM-SE, mixed isomers | 100 mg | 71.66 |
| S5419.1000 | 5/6-FAM-SE, mixed isomers | 1 g | 648.67 |
| S5546.0100 | 5/6-FITC-2DA | 100 mg | 281.14 |
| S5456.0020 | 5/6-JOE-SE mixed isomer | 20 mg | 180.84 |
| S5423.0005 | 5-FAM-SE, single isomer | 5 mg | 77.84 |
| S5423.1000 | 5-FAM-SE, single isomer | 1 g | on request |
| S5510.0250 | 5-FITC (ca. 98%) | 250 mg | 104.74 |
| S5510.1000 | 5-FITC (ca. 98%) | 1 g | 203.96 |
| S5548.0100 | 5-FITC-2DA | 100 mg | 303.19 |
| S5547.0000 | 5-FTSC | on request | on request |
| S5457.0005 | 5-JOE-SE single isomer | 5 mg | 194.47 |
| S5427.0005 | 5-ROX-SE, single isomer | 5 mg | 170.70 |
| S5427.1000 | 5-ROX-SE, single isomer | 1 g | on request |
| S5425.0010 | 5-TAMRA-SE, single isomer | 10 mg | 314.21 |
| S5425.1000 | 5-TAMRA-SE, single isomer | 1 g | on request |
| S5481.0010 | 6-FAM DA SE | 10 mg | 165.38 |

Functional Groups

| Prod.No. | Product | Pack-size | Price in € |
|------------|------------------------------|------------|------------|
| S5540.0010 | 6-FAM DA SE | 10 mg | 165.38 |
| S5424.0005 | 6-FAM-SE, single isomer | 5 mg | 77.84 |
| S5424.1000 | 6-FAM-SE, single isomer | 1 g | on request |
| S5549.0050 | 6-FITC-2DA | 50 mg | 303.19 |
| S5458.0005 | 6-JOE-SE single isomer | 5 mg | 194.47 |
| S5428.0005 | 6-ROX-SE, single isomer | 5 mg | 170.70 |
| S5428.1000 | 6-ROX-SE, single isomer | 1 g | on request |
| S5426.0010 | 6-TAMRA-SE, single isomer | 10 mg | 314.21 |
| S5426.1000 | 6-TAMRA-SE, single isomer | 1 g | on request |
| S5519.0000 | AMCA-H NHS | on request | on request |
| S5418.0250 | DABCYL | 250 mg | 211.67 |
| S5418.1000 | DABCYL | 1 g | 539.42 |
| S5430.0025 | DABCYL-IA | 25 mg | 71.01 |
| S5430.0100 | DABCYL-IA | 100 mg | 157.05 |
| S5429.0025 | DABCYL-SE | 25 mg | 71.01 |
| S5429.0100 | DABCYL-SE | 100 mg | 157.05 |
| S5494.0010 | DACB-CN | 10 mg | 137.81 |
| S5551.0001 | DACM | 1 mg | 93.71 |
| S5506.0000 | Dansylchloride | on request | on request |
| S5493.0100 | DIB-Cl | 100 mg | 192.94 |
| S5460.0250 | DiSC(3)(3) | 250 mg | 60.64 |
| S5554.0050 | DPM | 50 mg | 241.71 |
| S5544.0000 | EITC | on request | on request |
| S5522.0000 | Eosin-5-iodoacetamide | on request | on request |
| S5523.0000 | Eosin-5-isothiocyanate | on request | on request |
| S5434.0025 | Fluorescein-5-maleinimide | 25 mg | 104.74 |
| S5401.0050 | FOAA | 50 mg | 336.26 |
| S5491.0025 | FQ | 25 mg | 307.26 |
| S5550.0010 | IDA | 10 mg | 104.74 |
| S5552.0001 | Lucigenin | 1 g | 71.66 |
| S5459.0005 | Monocarboxymethylene Blue-SE | 5 mg | 281.18 |
| S5492.0050 | MPAC-Br | 50 mg | 127.00 |
| S5500.0010 | NBD-Cl | 10 g | 71.66 |
| S5501.0100 | NBD-PZ | 100 mg | 97.02 |
| S5515.0500 | NBD-X | 500 mg | 277.22 |
| S5435.0050 | NIR_797-ITC | 50 mg | 633.94 |
| S5495.0050 | Physil chloride | 50 mg | 207.27 |
| S5490.0010 | PPS-Cl | 10 mg | 148.84 |

Inhibitors

| Prod.No. | Product | Pack-size | Price in € |
|------------|----------------------------|-----------|------------|
| S5220.0005 | (+)-Aphidicolin, high pure | 5 mg | 378.55 |
| S5220.0025 | (+)-Aphidicolin, high pure | 25 mg | 1293.38 |
| S5289.0025 | 3-Oxododecanamide | 25 mg | on request |
| M6360.0100 | AEBSF Hydrochloride | 100 mg | 32.80 |
| M6360.0250 | AEBSF Hydrochloride | 250 mg | 73.59 |

VIII. Chemicals

Inhibitors

| Prod.No. | Product | Pack-size | Price in € |
|------------|---|-----------|------------|
| M6360.0500 | AEBSF Hydrochloride | 500 mg | 124.42 |
| M6360.1000 | AEBSF Hydrochloride | 1 g | 189.63 |
| M6361.0010 | Aprotinin from bovine lung | 10 mg | 36.09 |
| M6361.0025 | Aprotinin from bovine lung | 25 mg | 68.91 |
| M6361.0100 | Aprotinin from bovine lung | 100 mg | 215.81 |
| M3447.0005 | Bestatine Hydrochloride | 5 mg | 85.62 |
| M3447.0010 | Bestatine Hydrochloride | 10 mg | 163.74 |
| M3447.0025 | Bestatine Hydrochloride | 25 mg | 310.95 |
| M3189.0010 | DEPC | 10 mL | 40.22 |
| M3189.0025 | DEPC | 25 mL | 86.75 |
| M3189.0050 | DEPC | 50 mL | 156.15 |
| M3189.0100 | DEPC | 100 mL | 252.37 |
| M3189.0250 | DEPC | 250 mL | 542.59 |
| M3364.0001 | Diisopropylfluorophosphate | 1 g | 344.39 |
| S5219.0005 | E-64 | 5 mg | 97.79 |
| S5219.0010 | E-64 | 10 mg | 176.66 |
| S5219.0025 | E-64 | 25 mg | 394.32 |
| S5221.0100 | Etoposide | 100 mg | 195.28 |
| S5221.0500 | Etoposide | 500 mg | 585.85 |
| S5217.0001 | Herbimycin A | 1 mg | 826.20 |
| S5217.0100 | Herbimycin A | 100 µg | 240.35 |
| S5217.0500 | Herbimycin A | 500 µg | 495.72 |
| M6100.0010 | Leupeptin hemisulfate | 10 mg | 51.54 |
| M6100.0025 | Leupeptin hemisulfate | 25 mg | 109.42 |
| M6100.0100 | Leupeptin hemisulfate | 100 mg | 372.48 |
| S5216.0001 | Manumycin A | 1 mg | 64.59 |
| S5216.0005 | Manumycin A | 5 mg | 165.24 |
| S5273.0025 | N-(12-Bromo-3-oxododecanoyl)-DL-homoserine Lactone | 25 mg | on request |
| S5277.0025 | N-(12-Hydroxy-3-oxododecanoyl)-DL-homoserine Lactone | 25 mg | on request |
| S5276.0025 | N-(12-Methoxycarbonyl-3-oxododecanoyl)-L-homoserine Lactone | 25 mg | on request |
| S5274.0025 | N-(13-Bromo-3-oxotridecanoyl)-DL-homoserine Lactone | 25 mg | on request |
| S5275.0025 | N-(13-Carboxy-3-oxotridecanoyl)-DL-homoserine Lactone | 25 mg | on request |
| S5283.0025 | N-(3-Hydroxydodecanoyl)-DL-homoserine Lactone | 25 mg | 126.00 |
| S5284.0025 | N-(3-Hydroxytetradecanoyl)-DL-homoserine Lactone | 25 mg | on request |
| S5279.0025 | N-(3-Oxo-10Z-tetradecenoyl)-DL-homoserine Lactone | 25 mg | on request |
| S5280.0025 | N-(3-Oxo-12-tridecenoyl)-DL-homoserine Lactone | 25 mg | on request |
| S5281.0025 | N-(3-Oxo-13-tetradecenoyl)-DL-homoserine Lactone | 25 mg | on request |
| S5278.0025 | N-(3-Oxo-7Z-tetradecenoyl)-DL-homoserine Lactone | 25 mg | on request |
| S5242.0025 | N-(3-Oxodecanoyl)-DL-homoserine Lactone | 25 mg | on request |
| S5290.0025 | N-(3-Oxododecanoyl)-DL-homocysteine Thiolactone | 25 mg | on request |
| S5244.0010 | N-(3-Oxododecanoyl)-DL-homoserine Lactone | 10 mg | on request |
| S5244.0050 | N-(3-Oxododecanoyl)-DL-homoserine Lactone | 50 mg | on request |
| S5288.0025 | N-(3-Oxododecanoyl)-DL-homoserine Methyl Ester | 25 mg | on request |
| S5222.0010 | N-(3-Oxoctanoyl)-DL-homoserine Lactone | 10 mg | on request |
| S5222.0100 | N-(3-Oxoctanoyl)-DL-homoserine Lactone | 100 mg | on request |
| S5272.0025 | N-(3-Oxotetradecanoyl)-DL-homoserine Lactone | 25 mg | on request |

Inhibitors

| Prod.No. | Product | Pack-size | Price in € |
|------------|---|-----------|------------|
| S5245.0025 | N-(3-Oxotridecanoyl)-DL-homoserine Lactone | 25 mg | on request |
| S5243.0025 | N-(3-Oxoundecanoyl)-DL-homoserine Lactone | 25 mg | on request |
| S5282.0025 | N-(6-Methyl-3-oxoundecanoyl)-DL-homoserine Lactone | 25 mg | on request |
| S5285.0025 | N-Decanoyl-DL-homoserine Lactone | 25 mg | on request |
| S5287.0025 | N-Dodecanoyl-DL-homoserine Lactone | 25 mg | on request |
| S5286.0025 | N-Undecanoyl-DL-homoserine Lactone | 25 mg | on request |
| M6359.0010 | Pepstatin A | 10 mg | 36.09 |
| M6359.0025 | Pepstatin A | 25 mg | 78.54 |
| M6359.0100 | Pepstatin A | 100 mg | 244.76 |
| M3194.0005 | Phenylmethanesulfonyl fluoride (PMSF), min. 99.5% pure. | 5 g | 36.28 |
| M3194.0025 | Phenylmethanesulfonyl fluoride (PMSF), min. 99.5% pure. | 25 g | 119.87 |
| M3194.0100 | Phenylmethanesulfonyl fluoride (PMSF), min. 99.5% pure. | 100 g | 358.05 |
| M6383.0001 | rec. Aprotinin | 1 mg | 162.49 |
| M6383.0020 | rec. Aprotinin | 20 mg | 268.28 |
| M6383.0100 | rec. Aprotinin | 100 mg | 782.25 |
| M3375.0001 | TLCK | 1 g | 365.93 |
| M3375.0100 | TLCK | 100 mg | 47.32 |
| M3375.0250 | TLCK | 250 mg | 113.57 |
| M3375.0500 | TLCK | 500 mg | 200.32 |
| M3374.0001 | TPCK | 1 g | 79.66 |
| M3374.0250 | TPCK | 250 mg | 30.76 |
| M3374.0500 | TPCK | 500 mg | 46.39 |

Phosphoramidites

| Prod.No. | Product | Pack-size | Price in € |
|------------|--|-----------|------------|
| S5432.0100 | 5-TAMRA-phosphoramidite | 100 µmol | 539.42 |
| S5431.0100 | 6-Carboxyfluorescein-Piv2 | 100 µmol | 211.67 |
| S5433.0100 | 6-TAMRA-phosphoramidite | 100 µmol | 539.42 |
| S5404.0050 | Dabcyl-3'-phosphoramidite | 45 mg | 157.05 |
| S5404.0100 | Dabcyl-3'-phosphoramidite | 90 mg | 266.30 |
| S5404.0500 | Dabcyl-3'-phosphoramidite | 425 mg | 716.95 |
| S5403.0050 | Dabcyl-5'-phosphoramidite | 30 mg | 157.05 |
| S5403.0100 | Dabcyl-5'-phosphoramidite | 60 mg | 266.30 |
| S5403.0500 | Dabcyl-5'-phosphoramidite | 290 mg | 716.95 |
| S5400.0025 | Ethylhexonate-6-O-(N,N-diisopropyl)-β-cyanoethyl-phosphoramidite | 25 mg | 116.08 |
| S5400.0050 | Ethylhexonate-6-O-(N,N-diisopropyl)-β-cyanoethyl-phosphoramidite | 50 mg | 198.02 |
| S5400.0225 | Ethylhexonate-6-O-(N,N-diisopropyl)-β-cyanoethyl-phosphoramidite | 225 mg | 880.83 |
| S5402.0025 | Guanosine-5'-thiophosphate | 25 mg | 135.20 |

Salts

| Prod.No. | Product | Pack-size | Price in € |
|------------|-----------------------------------|-----------|------------|
| M6018.0500 | Ammonium chloride p.A. BioChemica | 1 kg | 20.07 |
| M6018.1000 | Ammonium chloride p.A. BioChemica | 1 kg | 30.11 |
| M6018.5000 | Ammonium chloride p.A. BioChemica | 5 kg | 119.01 |

VIII. Chemicals

Salts

| Prod.No. | Product | Pack-size | Price in € |
|------------|--|-----------|------------|
| M3271.0500 | Ammonium sulfate Molecular biology grade | 500 g | 28.39 |
| M3271.1000 | Ammonium sulfate Molecular biology grade | 1 kg | 34.70 |
| M3271.5000 | Ammonium sulfate Molecular biology grade | 5 kg | 112.78 |
| M3272.0500 | Ammonium sulfate p.A. | 500 g | 22.08 |
| M3272.1000 | Ammonium sulfate p.A. | 1 kg | 29.97 |
| M3272.5000 | Ammonium sulfate p.A. | 5 kg | 118.30 |
| M6368.0100 | Calcium chloride hexahydrate | 100 g | 19.35 |
| M6368.1000 | Calcium chloride hexahydrate | 1 kg | 28.00 |
| M6368.5000 | Calcium chloride hexahydrate | 5 kg | 65.60 |
| M6363.0100 | Cetylpyridiniumbromide | 100 g | 27.01 |
| M6363.0250 | Cetylpyridiniumbromide | 250 g | 42.88 |
| M6364.0100 | Cetylpyridiniumchloride - Monohydrate | 100 g | 21.68 |
| M6364.0500 | Cetylpyridiniumchloride - Monohydrate | 500 g | 57.49 |
| M3201.0005 | Cytosine | 5 g | 17.33 |
| M3201.0025 | Cytosine | 25 g | 62.37 |
| M6026.0500 | di-Sodium hydrogen phosphate dihydrate (min. 99.0%) | 500 g | 25.83 |
| M6026.1000 | di-Sodium hydrogen phosphate dihydrate (min. 99.0%) | 1 kg | 40.14 |
| M6025.1000 | di-Sodium hydrogen phosphate dodecahydrate, BioChemica | 1 kg | 31.55 |
| M6025.5000 | di-Sodium hydrogen phosphate dodecahydrate, BioChemica | 5 kg | 103.70 |
| M6027.0500 | di-Sodium hydrogen phosphate, anhydrous (min. 99.0%) | 500 g | 27.24 |
| M6027.1000 | di-Sodium hydrogen phosphate, anhydrous (min. 99.0%) | 1 kg | 43.02 |
| M3277.0005 | DTE, molecular biology grade | 5 g | 47.68 |
| M3277.0025 | DTE, molecular biology grade | 25 g | 158.48 |
| M6031.0005 | DTT, BioChemica | 5 g | 44.04 |
| M6031.0010 | DTT, BioChemica | 10 g | 63.69 |
| M6031.0025 | DTT, BioChemica | 25 g | 130.47 |
| M6031.0100 | DTT, BioChemica | 100 g | 381.27 |
| M3278.0005 | DTT, Molecular biology grade | 5 g | 43.55 |
| M3278.0010 | DTT, Molecular biology grade | 10 g | 78.64 |
| M3278.0025 | DTT, Molecular biology grade | 25 g | 152.70 |
| M6046.0250 | Guanidine hydrochloride, BioChemica | 250 g | 43.38 |
| M6046.0500 | Guanidine hydrochloride, BioChemica | 500 g | 65.21 |
| M6046.1000 | Guanidine hydrochloride, BioChemica | 1 kg | 101.98 |
| M3281.0100 | Guanidine hydrochloride, Molecular biology grade | 100 g | 59.56 |
| M3281.0250 | Guanidine hydrochloride, Molecular biology grade | 250 g | 119.87 |
| M3281.0500 | Guanidine hydrochloride, Molecular biology grade | 500 g | 205.05 |
| M3281.1000 | Guanidine hydrochloride, Molecular biology grade | 1 kg | 331.23 |
| M6032.0001 | Guanidine hydrochloride, pure | 1 kg | 42.17 |
| M6032.0005 | Guanidine hydrochloride, pure | 5 kg | 148.56 |
| M6032.0010 | Guanidine hydrochloride, pure | 10 kg | 273.81 |
| M6047.0250 | Guanidine hydrochloride, ultrapure | 250 g | 56.84 |
| M6047.0500 | Guanidine hydrochloride, ultrapure | 500 g | 94.57 |
| M6047.1000 | Guanidine hydrochloride, ultrapure | 1 kg | 150.31 |
| M6367.0100 | Lithium acetate dihydrate (min. 99%) | 100 g | 19.90 |
| M6367.0500 | Lithium acetate dihydrate (min. 99%) | 500 g | 66.98 |
| M6367.1000 | Lithium acetate dihydrate (min. 99%) | 1 kg | 103.36 |

Salts

| Prod.No. | Product | Pack-size | Price in € |
|------------|--|-----------|------------|
| M3282.0100 | Lithium chloride p.A. | 100 g | 45.74 |
| M3282.0250 | Lithium chloride p.A. | 250 g | 86.75 |
| M3282.0500 | Lithium chloride p.A. | 500 g | 156.15 |
| M3284.0250 | Magnesium chloride hexahydrate | 250 g | 18.69 |
| M3284.0500 | Magnesium chloride hexahydrate | 250 g | 27.83 |
| M3284.1000 | Magnesium chloride hexahydrate | 500 g | 47.46 |
| M3283.0500 | Magnesium chloride hexahydrate p.A. | 500 g | 26.81 |
| M3283.1000 | Magnesium chloride hexahydrate p.A. | 1 kg | 40.27 |
| M3283.5000 | Magnesium chloride hexahydrate p.A. | 5 kg | 132.04 |
| M6062.0500 | Potassium acetate analytical grade | 500 g | 25.30 |
| M6062.1000 | Potassium acetate analytical grade | 1 kg | 38.31 |
| M6062.5000 | Potassium acetate analytical grade | 5 kg | 128.03 |
| M6063.0500 | Potassium chloride Molecular biology grade | 500 g | 25.71 |
| M6063.1000 | Potassium chloride Molecular biology grade | 1 kg | 33.85 |
| M6063.5000 | Potassium chloride Molecular biology grade | 5 kg | 118.41 |
| M6064.0500 | Potassium chloride, analytical grade | 500 g | 20.40 |
| M6064.1000 | Potassium chloride, analytical grade | 1 kg | 26.13 |
| M6064.5000 | Potassium chloride, analytical grade | 5 kg | 92.61 |
| M6052.0250 | Potassium chloride, cell culture grade | 250 g | 17.92 |
| M6052.0500 | Potassium chloride, cell culture grade | 500 g | 22.08 |
| M6052.1000 | Potassium chloride, cell culture grade | 1 kg | 30.54 |
| M6065.0500 | Potassium dihydrogen phosphate Molecular biology grade | 500 g | 31.15 |
| M6065.1000 | Potassium dihydrogen phosphate Molecular biology grade | 1 kg | 49.06 |
| M6066.0500 | Potassium dihydrogen phosphate, analytical grade | 500 g | 25.30 |
| M6066.1000 | Potassium dihydrogen phosphate, analytical grade | 1 kg | 41.44 |
| M6066.5000 | Potassium dihydrogen phosphate, analytical grade | 5 kg | 138.80 |
| M6067.0500 | Potassium sulfate, p.A. | 500 g | 21.87 |
| M6067.1000 | Potassium sulfate, p.A. | 1 kg | 32.80 |
| M6067.5000 | Potassium sulfate, p.A. | 5 kg | 126.51 |
| M6382.0250 | Salicylic acid sodium salt, p.A. | 250 g | 29.49 |
| M6382.1000 | Salicylic acid sodium salt, p.A. | 1 kg | 79.93 |
| M6071.0050 | Sodium azide pure | 50 g | 24.70 |
| M6071.0100 | Sodium azide pure | 100 g | 28.39 |
| M6071.0500 | Sodium azide pure | 500 g | 83.35 |
| M6072.0500 | Sodium carbonate anhydrous, p.A. | 500 g | 23.54 |
| M6072.1000 | Sodium carbonate anhydrous, p.A. | 1 kg | 27.29 |
| M6072.5000 | Sodium carbonate anhydrous, p.A. | 5 kg | 92.06 |
| M6369.1000 | Sodium carbonate decahydrate p.A. | 1 kg | 26.88 |
| M6369.5000 | Sodium carbonate decahydrate p.A. | 5 kg | 78.02 |
| M6369.1010 | Sodium carbonate decahydrate p.A. | 10 kg | 131.47 |
| M6073.0500 | Sodium chloride Molecular biology grade | 500 g | 19.36 |
| M6073.1000 | Sodium chloride Molecular biology grade | 1 kg | 24.81 |
| M6073.5000 | Sodium chloride Molecular biology grade | 5 kg | 68.85 |
| M6074.1000 | Sodium chloride p.A. | 1 kg | 18.93 |
| M6074.1001 | Sodium chloride p.A. | 10 kg | 79.88 |
| M6074.5000 | Sodium chloride p.A. | 5 kg | 52.37 |

VIII. Chemicals

Salts

| Prod.No. | Product | Pack-size | Price in € |
|------------|--|-----------|------------|
| M6024.0500 | Sodium dihydrogen phosphate dihydrate (min. 99.0%) | 500 g | 25.81 |
| M6024.1000 | Sodium dihydrogen phosphate dihydrate (min. 99.0%) | 1 kg | 40.15 |
| M6024.5000 | Sodium dihydrogen phosphate dihydrate (min. 99.0%) | 5 kg | 125.66 |
| M6214.0100 | Sodium gluconate | 100 g | 20.88 |
| M6214.0500 | Sodium gluconate | 500 g | 41.11 |
| M6366.0500 | Sodium hydroxide Pellets (p.a.) | 500 g | 17.86 |
| M6366.1000 | Sodium hydroxide Pellets (p.a.) | 1 kg | 21.00 |
| M6366.5000 | Sodium hydroxide Pellets (p.a.) | 5 kg | 67.50 |
| M6372.0025 | Sodium Molybdate Dihydrate (p.A.) | 25 g | 19.62 |
| M6372.0100 | Sodium Molybdate Dihydrate (p.A.) | 100 g | 33.46 |
| M6372.0250 | Sodium Molybdate Dihydrate (p.A.) | 250 g | 70.33 |
| M6371.0500 | Sodium sulfate, anhydrous (min. 99.0%) | 500 g | 19.57 |
| M6371.1000 | Sodium sulfate, anhydrous (min. 99.0%) | 1 kg | 24.53 |
| M6371.5000 | Sodium sulfate, anhydrous (min. 99.0%) | 5 kg | 81.59 |
| M6373.0250 | Sodium Thiosulphate Pentahydrate (p.A.) | 250 g | 13.78 |
| M6373.0500 | Sodium Thiosulphate Pentahydrate (p.A.) | 500 g | 19.57 |
| M6373.1000 | Sodium Thiosulphate Pentahydrate (p.A.) | 1 kg | 26.18 |

Solvents

| Prod.No. | Product | Pack-size | Price in € |
|------------|---|-----------|------------|
| M6337.1000 | 2-Propanol p.A. (min. 99.7% GC) | 1 L | 22.94 |
| M6337.1010 | 2-Propanol p.A. (min. 99.7% GC) | 10 L | 129.77 |
| M6337.2500 | 2-Propanol p.A. (min. 99.7% GC) | 2.5 L | 43.73 |
| M6337.5000 | 2-Propanol p.A. (min. 99.7% GC) | 5 L | 73.85 |
| M6334.0500 | Acetic Acid (100%) | 500 mL | 17.64 |
| M6334.1000 | Acetic Acid (100%) | 1 L | 22.52 |
| M6334.2500 | Acetic Acid (100%) | 2.5 L | 43.84 |
| M6023.1000 | Diethylene glycol | 1 L | 32.52 |
| M6023.2500 | Diethylene glycol | 2.5 L | 70.06 |
| M6321.0500 | DMF, Molecular biology grade (min. 99.5% GC) | 500 mL | 30.98 |
| M6321.1000 | DMF, Molecular biology grade (min. 99.5% GC) | 1 L | 50.93 |
| M6321.2500 | DMF, Molecular biology grade (min. 99.5% GC) | 2.5 L | 100.28 |
| M6322.0500 | DMF, p. A., (min. 99.5% GC) | 500 mL | 26.61 |
| M6322.1000 | DMF, p. A., (min. 99.5% GC) | 1 L | 39.38 |
| M6322.2500 | DMF, p. A., (min. 99.5% GC) | 2.5 L | 57.75 |
| M6323.0100 | DMSO, Cell culture grade | 100 mL | 22.87 |
| M6323.0250 | DMSO, Cell culture grade | 250 mL | 37.86 |
| M6324.0100 | DMSO, Molecular biology grade | 100 mL | 21.79 |
| M6324.0500 | DMSO, Molecular biology grade | 500 mL | 40.16 |
| M6324.1000 | DMSO, Molecular biology grade | 1 L | 64.37 |
| M6325.0100 | DMSO, p. A. | 100 mL | 22.58 |
| M6325.0500 | DMSO, p. A. | 500 mL | 34.55 |
| M6325.1000 | DMSO, p. A. | 1 L | 47.72 |
| M6325.2500 | DMSO, p. A. | 2.5 L | 97.13 |
| M6326.1010 | Ethanol 70 % BioChemica, denatured with ketones | 10 L | 77.44 |

Solvents

| Prod.No. | Product | Pack-size | Price in € |
|------------|---|-----------|------------|
| M6326.2500 | Ethanol 70 % BioChemica, denatured with ketones | 2.5 L | 25.73 |
| M6326.5000 | Ethanol 70 % BioChemica, denatured with ketones | 5 L | 41.48 |
| M6352.0250 | Ethanol 70 % p.A. | 250 mL | 20.07 |
| M6352.0500 | Ethanol 70 % p.A. | 500 mL | 31.55 |
| M6352.1000 | Ethanol 70 % p.A. | 1 L | 53.05 |
| M6352.2500 | Ethanol 70 % p.A. | 2.5 L | 111.84 |
| M6353.0250 | Ethanol 96%, p.A. | 250 mL | 27.24 |
| M6353.0500 | Ethanol 96%, p.A. | 500 mL | 43.02 |
| M6353.1000 | Ethanol 96%, p.A. | 1 L | 73.85 |
| M6353.2500 | Ethanol 96%, p.A. | 2.5 L | 160.60 |
| M6341.0500 | Ethanol absolute, BioChemica | 500 mL | 54.49 |
| M6341.1000 | Ethanol absolute, BioChemica | 1 L | 94.64 |
| M6341.2500 | Ethanol absolute, BioChemica | 2.5 L | 183.54 |
| M6350.1000 | Ethanol HPLC grade | 1 L | 117.58 |
| M6350.2500 | Ethanol HPLC grade | 2.5 L | 245.20 |
| M6028.1000 | Ethylene glycol | 1 L | 20.79 |
| M6028.2500 | Ethylene glycol | 2.5 L | 43.73 |
| M6043.0500 | Glycerol 87 % Molecular biology grade | 500 mL | 30.89 |
| M6043.1000 | Glycerol 87 % Molecular biology grade | 1 L | 44.03 |
| M6043.2500 | Glycerol 87 % Molecular biology grade | 2.5 L | 101.38 |
| M6044.0500 | Glycerol 87 % p.A. | 500 mL | 29.26 |
| M6044.1000 | Glycerol 87 % p.A. | 1 L | 38.69 |
| M6044.2500 | Glycerol 87 % p.A. | 2.5 L | 94.29 |
| M3097.0500 | Glycerol anhydrous Molecular biology grade | 500 mL | 33.49 |
| M3097.1000 | Glycerol anhydrous Molecular biology grade | 1 L | 48.77 |
| M3097.2500 | Glycerol anhydrous Molecular biology grade | 2.5 L | 106.00 |
| M3268.0500 | Glycerol anhydrous p.A. | 500 mL | 33.12 |
| M3268.1000 | Glycerol anhydrous p.A. | 1 L | 39.11 |
| M3268.2500 | Glycerol anhydrous p.A. | 2.5 L | 86.36 |
| M6331.0250 | Isoamyl alcohol p.a. BioChemica | 250 mL | 22.53 |
| M6331.0500 | Isoamyl alcohol p.a. BioChemica | 500 mL | 29.39 |
| M6331.1000 | Isoamyl alcohol p.a. BioChemica | 1 L | 51.62 |
| M6331.2500 | Isoamyl alcohol p.a. BioChemica | 2.5 L | 107.54 |
| M6332.0500 | Methanol dried, p.A. (min. 99.8% GC) | 500 mL | 19.36 |
| M6332.1000 | Methanol dried, p.A. (min. 99.8% GC) | 1 L | 30.11 |
| M6346.1000 | Methanol HPLC-grade (min. 99.9% GC) | 1 L | 17.21 |
| M6346.2500 | Methanol HPLC-grade (min. 99.9% GC) | 2.5 L | 27.96 |
| M6333.1000 | Methanol p.A. (min. 99.8% GC) | 1 L | 19.36 |
| M6333.1010 | Methanol p.A. (min. 99.8% GC) | 10 L | 96.07 |
| M6333.2500 | Methanol p.A. (min. 99.8% GC) | 2.5 L | 32.98 |
| M6333.5000 | Methanol p.A. (min. 99.8% GC) | 5 L | 57.36 |

VIII. Chemicals

Steroids

| Prod.No. | Product | Pack-size | Price in € |
|------------|----------------------------------|-----------|------------|
| S5360.0001 | 1,3,5(10)-ESTRATRIEN-3-OL-17-ONE | 1 g | on request |
| S5360.0005 | 1,3,5(10)-ESTRATRIEN-3-OL-17-ONE | 5 g | on request |
| S5362.0050 | 1,5(10)-ESTRADIEN-3b-OL-17-ONE | 50 mg | on request |
| S5362.0250 | 1,5(10)-ESTRADIEN-3b-OL-17-ONE | 250 mg | on request |
| S5356.0010 | 16a-Hydroxyestrone, approx. 95% | 10 mg | 200.02 |
| S5356.0050 | 16a-Hydroxyestrone, approx. 95% | 50 mg | 765.01 |
| S5356.0100 | 16a-Hydroxyestrone, approx. 95% | 100 mg | 1407.32 |
| S5357.0010 | 16b-Hydroxyestrone | 10 mg | on request |
| S5357.0025 | 16b-Hydroxyestrone | 25 mg | on request |
| S5359.0025 | 16-Ketoestradiol | 25 mg | 200.02 |
| S5359.0100 | 16-Ketoestradiol | 100 mg | 698.75 |
| S5304.0010 | 2-Hydroxyestradiol | 10 mg | 295.41 |
| S5304.0025 | 2-Hydroxyestradiol | 25 mg | 575.67 |
| S5304.0050 | 2-Hydroxyestradiol | 50 mg | 916.42 |
| S5320.0005 | 6a-Hydroxyestradiol | 5 mg | 348.42 |
| S5320.0010 | 6a-Hydroxyestradiol | 10 mg | 560.52 |
| S5355.0005 | 6a-Hydroxyestratriol | 5 mg | on request |
| S5355.0010 | 6a-Hydroxyestratriol | 10 mg | on request |
| S5358.0010 | 6-Ketoestradiol | 10 mg | on request |
| S5358.0025 | 6-Ketoestradiol | 25 mg | on request |
| S5361.0001 | Estrone / Estrol | 1 g | on request |
| S5361.0005 | Estrone / Estrol | 5 g | on request |
| S5336.0001 | Muristerone A, min. 95% | 1 mg | 272.69 |
| S5336.0500 | Muristerone A, min. 95% | 500 µg | 151.50 |

Substrates

| Prod.No. | Product | Pack-size | Price in € |
|------------|---|-----------|------------|
| M6255.0050 | 2-Nitrophenyl-2-acetamido-2-deoxy-a-D-galactopyranoside (min. 99.0% HPLC) | 50 mg | 340.67 |
| M6255.0100 | 2-Nitrophenyl-2-acetamido-2-deoxy-a-D-galactopyranoside (min. 99.0% HPLC) | 100 mg | 562.28 |
| M3158.0005 | 3,3',5,5'-Tetramethylbenzidine (TMB) | 5 g | 74.36 |
| M3158.0025 | 3,3',5,5'-Tetramethylbenzidine (TMB) | 25 g | 250.87 |
| M3212.0001 | 3,3'-Diaminobenzidine tetrahydrochloride | 1 g | 17.80 |
| M3212.0005 | 3,3'-Diaminobenzidine tetrahydrochloride | 5 g | 54.08 |
| M3212.0010 | 3,3'-Diaminobenzidine tetrahydrochloride | 10 g | 87.89 |
| M3339.0100 | 4-Chloro-1-Naphtol (0.48 mM solution) | 100 mL | 46.21 |
| M3338.0005 | 4-Chloro-1-Naphtol (min. 99.0% HPLC) | 5 g | 31.90 |
| M3338.0010 | 4-Chloro-1-Naphtol (min. 99.0% HPLC) | 10 g | 52.84 |
| M3338.0025 | 4-Chloro-1-Naphtol (min. 99.0% HPLC) | 25 g | 104.67 |
| M6251.0005 | 4-Nitrophenyl a-D-manopyranoside Purity >99% | 5 g | 177.53 |
| M6251.0025 | 4-Nitrophenyl a-D-manopyranoside Purity >99% | 25 g | 578.81 |
| M6250.0250 | 4-Nitrophenyl a-L-fucopyranoside Purity >99% | 250 mg | 126.79 |
| M6250.1000 | 4-Nitrophenyl a-L-fucopyranoside Purity >99% | 1 g | 413.44 |
| M6252.0001 | 4-Nitrophenyl b-D-xylopyranoside Purity >99% | 1 g | 106.52 |
| M6252.0005 | 4-Nitrophenyl b-D-xylopyranoside Purity >99% | 5 g | 380.36 |

Substrates

| Prod.No. | Product | Pack-size | Price in € |
|------------|---|-----------|------------|
| M6254.0050 | 4-Nitrophenyl-2-acetamido-2-deoxy-a-D-galactopyranoside (min. 99.0% HPLC) | 50 mg | 316.97 |
| M6254.0100 | 4-Nitrophenyl-2-acetamido-2-deoxy-a-D-galactopyranoside (min. 99.0% HPLC) | 100 mg | 641.84 |
| M6256.0001 | 4-Nitrophenyl-2-acetamido-2-deoxy-b-D-glucopyranoside (min. 99.0% HPLC) | 1 g | 111.35 |
| M6256.0005 | 4-Nitrophenyl-2-acetamido-2-deoxy-b-D-glucopyranoside (min. 99.0% HPLC) | 5 g | 452.03 |
| M3210.0010 | Acetyl-Coenzym A | 10 mg | 35.77 |
| M3210.0050 | Acetyl-Coenzym A | 50 mg | 128.44 |
| M3210.0100 | Acetyl-Coenzym A | 100 mg | 232.16 |
| M3196.0001 | BCIP, molecular biology grade, | 1 g | 91.51 |
| M3196.0005 | BCIP, molecular biology grade, | 5 g | 394.74 |
| M3196.0250 | BCIP, molecular biology grade, | 250 mg | 37.07 |
| M3196.0500 | BCIP, molecular biology grade, | 500 mg | 63.46 |
| S5437.0100 | Collagenase Substrate | 100 mg | 248.06 |
| M6253.0005 | Fluorescein-dilaurate | 5 g | 211.67 |
| M6253.0025 | Fluorescein-dilaurate | 25 g | 490.61 |
| M3197.0001 | HighPure IPTG, dioxan free, (min. 99.5%). | 1 g | 32.70 |
| M3197.0005 | HighPure IPTG, dioxan free, (min. 99.5%). | 5 g | 85.84 |
| M3197.0025 | HighPure IPTG, dioxan free, (min. 99.5%). | 25 g | 386.28 |
| M3197.0050 | HighPure IPTG, dioxan free, (min. 99.5%). | 50 g | 686.71 |
| M3198.0010 | IPTG, dioxan free, molecular biology grade | 10 g | 107.31 |
| M3198.0025 | IPTG, dioxan free, molecular biology grade | 25 g | 244.65 |
| M3198.0050 | IPTG, dioxan free, molecular biology grade | 50 g | 434.11 |
| M3160.0005 | Luminol (min. 95%) | 5 g | 44.91 |
| M3160.0025 | Luminol (min. 95%) | 25 g | 170.50 |
| M6055.0001 | NAD | 1 g | 37.28 |
| M6055.0005 | NAD | 5 g | 118.22 |
| M6055.0010 | NAD | 10 g | 190.44 |
| M6055.0025 | NAD | 25 g | 356.05 |
| M6056.0001 | NAD reduced Na-salt | 1 g | 45.64 |
| M6056.0005 | NAD reduced Na-salt | 5 g | 177.67 |
| M6056.0010 | NAD reduced Na-salt | 10 g | 309.66 |
| M6057.0001 | NADP Na-salt | 1 g | 115.74 |
| M6057.0005 | NADP Na-salt | 5 g | 375.00 |
| M6057.0250 | NADP Na-salt | 250 mg | 40.19 |
| M6058.0001 | NADPH Na4-salt, min. 96% | 1 g | 475.50 |
| M6058.0100 | NADPH Na4-salt, min. 96% | 100 mg | 76.05 |
| M6058.0500 | NADPH Na4-salt, min. 96% | 500 mg | 288.89 |
| M3202.0001 | Naphthol-AS-BI-phosphate | 1 g | 137.81 |
| M3202.0250 | Naphthol-AS-BI-phosphate | 250 mg | 37.21 |
| M3203.0001 | Nitro Blue Tetrazolium Chloride, Molecular Biology grade | 1 g | 66.94 |
| M3203.0005 | Nitro Blue Tetrazolium Chloride, Molecular Biology grade | 5 g | 253.05 |
| M3203.0500 | Nitro Blue Tetrazolium Chloride, Molecular Biology grade | 500 mg | 47.99 |
| M3325.0001 | Rose-Gal - Red-Gal molecular biology grade | 1 g | 270.11 |
| M3325.0025 | Rose-Gal - Red-Gal molecular biology grade | 25 mg | 30.76 |
| M3325.0100 | Rose-Gal - Red-Gal molecular biology grade | 100 mg | 64.67 |

Substrates

| Prod.No. | Product | Pack-size | Price in € |
|------------|---|-----------|------------|
| M3195.0001 | Thiazolyl Blue Tetrazolium Bromide | 1 g | 33.35 |
| M3195.0005 | Thiazolyl Blue Tetrazolium Bromide | 5 g | 116.31 |
| M3195.0010 | Thiazolyl Blue Tetrazolium Bromide | 10 g | 173.37 |
| M3159.0100 | TMB ready-to-use solution | 100 mL | 70.34 |
| M3159.0250 | TMB ready-to-use solution | 250 mL | 93.38 |
| M3159.1000 | TMB ready-to-use solution | 1 L | 229.21 |
| M3204.0001 | X-Gal, Molecular biology grade (min. 99.0%) | 1 g | 83.74 |
| M3204.0005 | X-Gal, Molecular biology grade (min. 99.0%) | 5 g | 350.51 |
| M3204.0250 | X-Gal, Molecular biology grade (min. 99.0%) | 250 mg | 36.81 |
| M3205.0050 | X-Glu, molecular biology grade | 50 mg | 70.01 |
| M3205.0250 | X-Glu, molecular biology grade | 250 mg | 248.06 |
| M3205.0500 | X-Glu, molecular biology grade | 500 mg | 413.44 |